ADDRESS CORRECTION REQUESTED

BULK RATE
U.S. POSTAGE
PAID
COLTON, OR 97017

The SINCLAIR Computer Technology Magazine

SEPT/OCT '88 VOL.4 NO.6





A Christmas Wish for ____

[] SPECTERM-64(TS-4.1)

300/1200 Terminal Software for T/S2068 On <u>JLO. AFRCO. Larken</u> disk or tape. Only \$25.00 + \$2.50 S&H

ALSO

[] Z-SI/O Bare Boards

RS-232c Serial Interface for T/S2068 With <u>EREE 2050</u> card Only \$24.50 + \$2.50 S&H

\$50.00 inc. S&H

(DUTSIDE 48 CONTIGUOSE STATES, \$6.50 SEH)

LARKEN Disk Hardware:

[] LARKEN Disk System for T/S2068

Includes LARKEN Floppy Disk Interface, LKD05 (v.3)
Cartridge, Operating Manual and LKD05 Utilities' Disk.
Only \$120.00 + \$5.00 S&H

[] LKDOS Cartridge for JLO

Specially configured LKDOS (v.3) Cartridge that works with your JLO SAFE Disk hardware, includes Operating Manual and LKDOS Utilities' Disk.

Only \$65.00 + \$3.50 S&H

[] LARKEN Ramdisk for T/S2068

No RAM chips are included. You can add up to 256K to this Nonvolatile Ramdisk. Easy to use as a floppy disk with LKDOS.

Only \$60.00 + \$3.50 5&H

[] Tandon TM101-4 Quad Disk Drives

These disk drives are brand new in factory sealed cartons. They are double sided, double density, 96 tpi (quad), full height drives. They are compatible with JLO, LKDOS, AERCO and QL disk systems.

\$45.00 + \$5.00 S&H

Buy 2, Get FREE Drive Cable! Buy 3, Get 4th for Half Price! Buy 4, Get One Disk Drive FREE!

[] Cable (2dr)..\$12.50+\$2.50 S&H

Hayes Compatible MODEMS

- [] Avatex 2400 (3/12/2400)....\$179 For CP/M, IBM and other systems.
- [] Avatex 1200hc (300/1200).......\$99 For T/S2068 (w/ Z-SI/O) and QL.
- [] Avatex 1200<P> (300/1200)......5125 <P>ocket size for the Z88.
- [] Avatex 1200<E> (300/1200)......\$85 Great for SPECTERM-64!

Epson Compatible PRINTERS

- [] Seikosha 1200Al (120/25)...\$199
- [] Seikosha 180Al (100/20)..\$169
- [] Star NX1000 (144/34)....\$229

All modems add \$3.50 for S&H, all printers add \$10.00 for S&H (Canada double S&H on all items).

This Christmas Wish List is brought to you by:

Ed Grey Enterprises

P.O. Box #2186, Inglewood, CA 90305 Info >> 213-759-7406 << Order

Call The Grey Matter BBS & RCP/M (213-971-6260)

SEPTEMBER/OCTOBER 88

CATALOTE ELLTON RESISTANT ENITOR PROMOTION

T tooss
Stephen a Looss
D.L. Loods
Thoras Lies
Darol Liel

COMPRISATORS: Nichael E. Carter, Paul Sinsham, Mike de Sose, Berl V. Comminaton, Syd Wyncoop, Stan Lema, Joe Williamson, Cavid A. Hutchinson, Duncan Teasue, Herb Eduers Eri, Michael J. Felerat, Bill Ferrebee, John Bell, Warren Fricke Fred Machbaur, William C. Braneus, Tim Stoddard, Dick Washar

REFERENTIATION TO determine your expiration date, simply read the date rested in the upper-right corner of your mailing label. The date posted is the last issue you will receive. (Example: "Nov/65" would indicate the November/December 1939 issue, i A renewal form is provided elsewhere in this issue for your convenience, or simply send in your payment, and indicate on the check that it is for a renewal.

NOVITOP? Please inform us as soon as you know your new address to prevent delay of service and lost issues. The U.S. Postal Service will not rel ably forward third-class (bulk) reit.

Time designs magazine is sublisted bi-monthly by TITE OESIGNE, 29022 Hult Rd., Colton, Oreson, 97017, USA, Phone (620) 894-8888, Third-class postage said at Colton, Oreson.

POSTURBIER Sand address charges To address costed above.

Entire contents Copyrisht (C) 1988 TIME DESIGNS. All rishts reserved. Material in this publication may not be resocuted in any form without written permission. Pagusst for parmission should be directed to the earter.

SLESCRIPTION: \$15.95 per year (USA only)-six issues. Canadian and foreign subscription-\$18.95 per year (Apiled Surface rate).

NOTIZE TO FOVERTISERS: Unite or call for display adventising nates and information. We have the largest Timex Sinciair customer base available.

ACCUT ACS IN TIME DESIGNS BE are not responsible for disstakes, misprints or typoeraphical errors. Advertisers in this masseine are not connected outh TIME DESIGNS MARRINE, and ce assume no liability resarding contents or claims or the ads. TIME DESIGNS reserves the right to resect irresponsible advertising.



PUNCLE OLIVE

NOTICE. Contributors to TIME DESIGNS are independent of the TIME DESIGNS MAGAZINE CO., and opinions expressed in the contents of this publication are not necessarily those of the management staff or its advertisers. Time Designs Magazine Co. will not be hald liable for any damage of consequences resulting from instructions, assertions of fact, review of products or companies provided in the magazine's content. It is recommended that anyone attempting to madify their computer or constructing an electrical project should seek help from more knowledgeable individuals.

TIME

designs

MAGAZINE

The SINCLAIR Computer Technology Magazine



ABOUT THE COVER (part one)

Hey, that's my kid on the front cover!

If you've been a subscriber to TIME DESIGNS for awhile, you may have noticed that I never really mention a whole lot about my family or personal matters. I have always felt that our customers pay for computer information, and it's computer info that you'll get. TS HORIZONS and CTM were two magazines (now defunct) that I enjoyed, and remember reading frequently about family members in their editorial pages.

So what the heck. Just this once. Yep, that's my two year-old son, Timothy Dean (or "T.D." for short). As I am writing this column, my wife and I are expecting our second child, it will be any day now, and T.D. will have a little brother or sister.

And what is that curious vehicle that T.D. is riding on? Hard core Sinclair fanatics will recognize it at once. It's a Sinclair "C5" personal electric vehicle. I had the opportunity to purchase a used one here recently, and went for it. Now my son (who can't really drive it yet) can brag to his friends that he's the only one on the block with a C5.

Continued Next Page.



The C5 is the newest addition to my Sinclair "museum", which also includes a ZX80 computer, the pocket TV, the FM digital watch, and a whole bunch of Timex goodies, like the original Timex 2068 disk drive system (with Timex labels), and a genuine Timex joystick for the 2068. I keep looking for other goodies, and once in awhile (especially at the Timex computer shows), I run into another fellow fanatic who also has a collection. Such items as the original Sinclair programmable calculator, the Sinclair "black watch", and a 2050 modem with actual Timex logo decals.

But the C5 is certainly the centerpiece of my collection, and perhaps the strangest. It was a Clive Sinclair failure. I remember hearing about the re-search being conducted on electric vehicles several years ago. But I never imagined that the C5 would be result of this research. A sort-of snowmobile on the wheels.

I have taken my C5 completely apart, partly out of curiosity, partly to lubricate critical moving parts, and just general restoration. In doing so, I found the elusive Sinclair custom Integrated Circuit (chip) that monitors motor and battery status. It's a ULA, and I swear, it looks suspiciously like the one

that resides in the 2X81!

C5 went on sale for just a short time here in the U.S. through mail order, but I bet that only a few hundred were sold. The big problem was that vehicle has a one-piece molded plastic body nearly six feet in length. Too big for UPS and Federal Express. I had to have it trucked from the east coast which added over \$100 to the price. Someone in engineering was not thinking. If only it could be folded up or disassembled into a smaller package.

And to add insult to injury, Sinclair had con-tracted HOOVER to manufacture the vehicle. Does that name sound familiar? It should, as just about every department store sells their line of vacuum cleaners! In fact, Hoover was also responsible for warranty service and parts. I called over to England to try and locate some parts my C5 was missing, and found that Hoover still stocks some of the items.



AND WE'RE SPREADING IT!

RMG is adding so many NEW and EXCITING ITEMS to our line that our storerooms are BULGING! We have added more that 25 NEW PAGES and changed over 20 others in our BIG 70+ page catalog. We want to make sure that you do not miss out on anuthing we may be able to help you with in your computing. If you will send us \$3.00 you will receive our catalog with a \$3 off coupon for your first order. AND, send along 12 business size SASEs and you will receive 12 monthly updates and special mailings. \$5 discount coupon in first malling!

RMG ENTERPRISES

1419 1/2 7TH STREET OREGON CITY, OREGON 97045 503/655-7484 * NOON-10 TUE-SAT

But after all of the criticism is raised about the C5, there is one aspect that is usually over-looked about the machine. It is dern fun to drive! It's a tad bit slow, but one trip around the block and your hooked. Everyone on the road will stare. and your There is simply nothing else like it around.

While it would be nice to close this little chapter of Sinclair history, and write the C5 off as a curious "boondoggle" that had some possibilities. But, lo and behold, I was told on good authority that Clive is still working on electric vehicles. G I'll have to make some more room in the "museum".

ABOUT THE COVER (part two)

Turning our attention back to the front cover of

this issue...did you notice anything different??

A big "thank you" to Paul Bingham for designing our new TIME DESIGNS logo. I think it's clever and attractive, and I hope that you all like it too. This logo is the sixth revision to our very first logo which appeared on Volume One Number One. I had planned to unveil this new logo for the Nov/Dec issue, but I liked it so much, that I couldn't wait to showcase it.

We have the ever talented and artistic Paul Bingham working on some other projects for us. But he hasn't forgotten his CLASSY FRONT END column. will resume next issue. Be sure to check out his write up and evaluation of the Z88 portable computer and how it sizes up to previous Sinclair computers.

inside this issue.

In closing, I might add, that this issue contains a whole lot of pre-Christmas advertising from a variety of Timex Sinclair vendors. I do hope that you will patronize them in one way or another, as they support TIME DESIGNS. Why not drop a hint to Santa, that a new disk drive system, or software package is just the thing you need to further your "hobby"?

Tim Woods

C002

NOU ANYONE WITH 32K OF DOCK RAM CAN RUN CADZ. STILL JUST \$20.00 :Requires Artworx by Novelsoft:

- DESIGN ON A 4 SCREEN PAGE 7 PAGES WITH 256K (AERCO 1 PAGE WITH MINIMUM 32K (AERCO HOD)

33 COMMANDS # FAST MC CODE

Send \$1 for docs, catalo review by Duncan Teague. catalog and Refunded with any purchase.

- 32K INTERNAL RAH HOD. \$35.00 PURCHASE CADZ & 32K HOD BOTH FOR \$50.00
- INSTRUCTIONS AND SCHEMATICS FOR INTERNAL 32K HOD FREE WITH PURCHASE OF CADZ
- * Tasword II and RERCO with 256k (4-drive only) holds five 300 tine documents, (96,000 chrs). \$15.00

ZUNK CUSTOM ELECTRONICS 4800 EAST CEDAR LANE NORMAN, OKLAHOMA 73071 (405) -366 8595

When we ran a questionnaire/survey in several issues of TIME DESIGNS, we had over 280 responses, which is approximately eleven percent of our current circulation. The first part of the survey dealt with information about our subscribers (age, occupation, information about our subscribers (age, occupation, hobbys, etc.), and questions about equipment owned. You can read the results of this in the July/August issue. In this issue the survey concludes with reader input on hardware, software, and TIME DESIGNS itself. We sincerely hope that the data presented here will provide developers of software and hardware with a better understanding of our TS user community.

Most popular computer peripherals owned by TS users;

- 1. Westridge/Timex TS-2050 modem
- 2. modems (various brands)
- 3. Aerco Centronics printer interface (2068)
- 4. joysticks (various brands)
- 5. Zebra Talker (2068 and 1000 versions)

Software package that is used most frequently:

- 1. MSCRIPT (2068 word processor)
- 2. TASWORD II (2068 word processor)
- 3. QUILL (QL word processor) 4. PRO/FILE 2068
- 5. ZX PRO/FILE (TS1000)

Other software that is used (less frequently):

- 1. self-written "home brew" programs
- 2. miscellaneous games
- 3. PRO/FILE 2068
- 4. MSCRIPT (2068 word processor)
- 5. TIMACHINE (2068 BASIC Compiler)

Hardware (or computer) purchases this coming year:

- 1. 2068 disk drive system
- 2. dot matrix printer
- 3. Larken Ramdisk (TS2068)
- 4. modem
- 5. 288 Portable Computer

Software purchases this coming year:

- 1. Jack Dohany's MSCRIPT Version 6 2. PIXEL PRINT PROFESSIONAL (2068)

- 3. any good 2068 spreadsheet
 4. miscellaneous 2068/Spectrum games
- 5. QL programming utilities

What Hardware would you like to see developed?

- 1. 2068 bankswitching (BEU) like Timex promised
- 2. additional external/internal RAM for 2068
- 3. external I/O board for controlling devices 4. larger RAM for the TS1000
- 5. 2068 optical scanner
- 6. IBM/MS-DOS emulator for the QL 7. better voice processors for Timex computers
- 8. cheaper disk interface board for the 2068
- 9. IBM/MS-DOS emulator for the 2068
- 10. PC-style keyboard/interface for the 2068

What Software would you like to see developed?

- 1. better 2068 business programs
- 2. high-resolution word processor (TS1000)
- 3. educational software for the 2068 (all ages)
- 4. spelling checker for the 2068
- 5. more arcade and adventure games for the 2068
- 6. simpler database for the QL

- 7. stock market/investment software (2068)
- 8. more plug-in cartridge software for the 2068
- 9. music programs utilizing sound chip(2068)
- 10. 2068 astronomy software

Comments about TS vendors/dealers:

- 1. "generally good to excellent service"
- 2. "we need your support...don't give up"
- 3. "not enough of them"
- 4. "more product documentation...less tech talk"
- 5. "delivery is sometimes slow"

Most favorite section in TIME DESIGNS:

- 1. Sinclair News
- 2. anything on the 2068
- 3. program listings
- 4. TS Communique (Joe Williamson)
- 5. advertisements
- 6. QL section
- 7. hardware projects
- 8. product reviews

Least favorite section in TIME DESIGNS:

- 1. don't have one
- 2. QL section (because I only have a 2068)
- 3. 2068 section (because I only have a QL)
- 4. 1000 section
- 5. games
- 6. non-Sinclair information
- 7. long complex programs

One particular favorite article or program listing:

- "Classy Front End" series by Paul Bingham storted MARCH/APRIL '67
- 2. "Z80 Machine Code" series by Syd Wyncoop started MARCH/APRIL '86
- 3. "MAX 1000" by Tim Stoddard SEPT/OCT '87
- 4. "Z88 Portable Computer" review by Tim Woods NOV/DEC '87
- 5. "Mystery of the Missing 253" by Wes Brzowoski started JULY/AUGUST '86

 5. "87 Tax Calculator" by Herb Bowers Sr.
- JAN/FEB '88
- 7. "QL Mandelbrot" series by Michael Carver started NOV/DEC '87

Comments to the Editor of TIME DESIGNS:

- 1. "keep up the good work"


- "keep up the good work"
 "please don't quit "
 "only feature TS information in TEM"
 "thanks for publishing the magazine"
 "more QL articles please"

An article/program you would like to see in TDM:

- 1. Machine Code programming tips (2068 and 1000)
- 2. QL Machine Code programming
- 3. Larken disk drive system tips (2068)
- 4. how to use a spreadsheet program
- 5. BASIC programming "tricks

Suggestions for a "theme issue" topic:

- 1. Dot Matrix Printers
- 2. Robotics/Controlling Things
- 3. Games
- 4. Music
- 5. Word Processing



2068 PUZZLE SOLUTION

George Mockridge, of Daly City, California, sent in this TS2068 program he wrote to solve the PUZZLE OF THE MONTH (July/August '88) by the late Cedric R. Bastiaans. It can be compiled with TIMACHINE, the BASIC Compiler.

- The Editor

```
1 REM Solution for Puzzle of Month - July/Aug. TIME DESIGNS. Program by George Mockridge. Can be compiled using TIMACHINE. 3 REM !INT +1,,,k,l,m
4 REM !INT a
                                                   OPEN #
                5 REH !
 5 REM! OPEN # 9 CL5: LET a = -1: PR ing on problem." PRINT 10 FOR i = 1 TO 24 20 FOR k = 1 TO 24 40 FOR k = 1 TO 24 50 FOR M = 1 TO 24 50 FOR M = 1 TO 24 50 FOR M = 1 TO 24
                                                                                                PRINT "WORK
          65 IF 3=1 THEN STOP
70 NEXT 0: NEXT 1: NEXT 1: NEX
1: NEXT 1
75 STOP
00 IF 1*j=39*(1*125)
                                   1+J+K+1+m=40 THEN GO SUB
       75
100
75 STOP
100 IF 1*j=39*(**!*m) THEN LET
n=((i+i)*(j+i))/((k+i)*(l+i)*(m+
i): 60 TO 100
100 GO SUB 300
100 IF 0*1 THEN PRINT "2 BOYS A
GES - ";i;" ";i; PRINT "3 GIRLS
AGES - ";k;" ";i; "m
110 IF i*j*k*=39*((i*m) THEN LET
n=((i+i)*(j*i)*;k*+1))/((i+i)*(m+
i): GO TO 113
112 GO TO 103
113 GO SUB 300
115 IF 0*1 THEN PRINT "3 BOYS A
GES - ";i;" ";i" ";m
GGIRLS AGES - ";i;" ";m
GGIRLS AGES - ";i;" ";m
GGIRLS AGES - ";i;" ";m
      200 R2TURN
300 LET a=1: IF (INT (n/2)+2-n)
30 THEN LET a=-1
       301 RETURN
```

DIRT CHEAP PRINTER

Dear Tim.

This is a note to inform your readers that it is feasible to run the IBM PCjr thermal printer on the TS2068 computer. I am a late comer to the Timex Sinclair scene and thus did not get in on the initial movement to full size printers such as the Gorilla Banana. Star 10. and others, But now there are hundreds of these PCjr thermal printers on the market for about \$38 to \$35.

Granted printers keep improving and getting more reasonable in price, but for the low-budget hobbyist.

this has to be one choice to consider.

The PCjr printer I purchased has a serial port and is interfaced to my TS2068 through Ed Grey's Z/S-IO serial board (available from ED GREY ENTERPRISES) I am using print driver software written by Larry Kenny (LARKEN ELECTRONICS) for his LKDOS cartridge system. I also purchased from the printer vendor (see address at the end of this letter), a conversion plug to go from the IBM printer to the RS232 serial board on my computer.

It is also possible to run the printer using a modified version of John Bell's "Serial Port Driver" program you published in the JAN/FEB '88 issue of TDM, John McMichael (1710 Palmer Dr.,

issue of TDM, Joi Laramie, WY 82070).

The thermal printer has limitations, such as the of special paper, it's a non-permanent record, etc. But I think it is a good deal for the limited hobbyist. I solve the paper problem by acrounging the end rolls of FAX paper, from a large corporate facsimile operation that buys 600 foot rolls, and throws away the roll ends so that the machine will not run out of paper while unattended. For per-menent copies of important documents, I run them through a copying machine.

through a copying machine.

I class myself as a casual user and find the larger printer increases the utility of my "toy" computer a great deal. The real work on this system came from John McMichael, Larry Kenny and Ed Grey. I just asked each of them for their contribution. The print driver software uses the LPRINT and LLIST

commands, but doesn't use the COPY command.

John Austin McKinney, Texas



The full-size thermal printer discussed and pictured above can be purchased from B.G. MICRO, P.O. Box 280298, Dallas, TX 75228, phone (214) 271-5546. for \$29.95 + \$4.00 shipping (U.S.). The printer was manufactured by CANON for the IBM PCir. An optional PC AT/XT type connector is available for \$9.00. Paper is available from Radio Shack and other sources. The printer may be available from other dealers who deal in surplus hacker supplys.


2068 HELPS ARMY

Dear Tim and Staff.

I think Paul Bingham and Stan Lemke, along with all the others, deserve a big thank-you for the programs they have donated to your magazine. Has anyone thought of consolidating them on a disk/tape and offering them to others through the magazine? The revenue could be used to offset production costs. That way we all win.

The following is a graphic that I use for a coversheet on the operator's manual exam my pilot's have to take. Although not drawn with a commercial graphics program (simple PLOT/DRAW commands were used), I did use TECH DRAW JR (Zebra Systems) for the shading.

John Bailey Chief Warrant Officer United States Army APO, San Francisco



UH-1H Helicopter (US Army) Drawn by: John Bailey

Nice pic John! About your suggestion: currently we are understaffed to offer all of the listings in each issue on a tape or disk. While it would be nice, just think about all of the different formats that would have to be offered (TS1000 tapes, QL microdrive cartridges and disks. TS2068 tapes and disks in four different formats, not to mention double-sided and quad-density disk systems). However, most of our contributors, including Paul Bingham, Stan Lemke, Michael Carver, William Andrews, and others, will offer most of their programs published in TDM on a tape for nominal charge. Even if it isn't stated in the article or program, it would be worth your while to contact the author either directly or through TDM to see if this service is available.

- The Editor

QL MACHINE CODE

Dear Tim,

I have a question that you may be able to help me with. I want to write some machine code functions and link them into the name table. I own the "QL Technical Guide" and the book, "Machine Code Programming On The Sinclair QL". I understand how to ectually link functions and procedures, but I don't see how to transfer the answer back to SuperBASIC. Also, how do I get the parameters passed to my code. Would you be able to explain this or refer me to some source that could? I've read section 9.0. "Interfacing to SuperBASIC" in the Technical Guide, but I'm still a little unclear about it all. A simple example would be most helpful. Such as, a function that would take two parameters and add them.

I would really like to see more technical articles for the QL in TDM. Similar to what I've asked. The QL is a powerful machine, but the manuals are lacking in explaining it's full uses. I'm presently a graduate student and don't have the time to go through deciphering exactly what was meant in the manuals. Any additional help would be greatly appreciated. Thank you for your time and advise.

David McCall Rochester, New York

I asked our resident QL Machine Code programmer, Michael Carver for some references on how to pass parameters to SuperBASIC, and then to code. He has recommended the books "The Sinclair QDOS Companion" (published by Sunshine), pages 121-126; and "Advanced QL Machine Code" (published by Duckworth), pages 82-100. These books may still be available from a QL dealer.

Your request for technical articles has been honored. Starting in this issue, Michael Carver will begin a new series, with the first article detailing how to extend SuperBASIC by installing semi-permanent PRO- cedures and Functions. A follow-up article will discuss creating and running Jobs on the QL.

- The Editor

FOR THE YOUNGER SET

Here is a very simple BASIC TS2068 program which will teach your kids their alphabet (both CAPS and small) and numbers, as well as the QWERTY keyboard.

Two of my grandsons learned this way, and now my 20 month old grandaughter is "pecking away".

Change the name of the bus line to their own (in Line 300) and watch them grow.

Earl L. Kielgass Tempe, Arizona

10 REM "BU3"

11 REM +ADD LINE 13 AND ENTER
POKE 23658.0 FOR SMALL LETTER
RS. DELETE LINE 13 FOR NUMBERS.*

12 REM +LINE 100 AFTER CHR\$.*

13 POKE 23658.0 FOR CAPITAL LETTE
RS. DELETE LINE 13 FOR NUMBERS.*

14 REM +LINE 100 AFTER CHR\$.*

15 DELETE LINE 100 AFTER CHR\$.*

16 DULD READ (RND*25+65) FOR CAPS, A

17 POKE 23658.0

18 POKE 23658.0

18

newskoom_

A SINCLAIR IBM

Late one morning in the TDM office, a resh of phone calls, one right after the other, and all concerning the same thing. An amxious voice on the other end of the line would ask, "have you seen the new Sinciair computer advertised in POPULAR SCIENCE magazine?" Then sounding as it a friend had betrayed them, they would add, "it's an IBM clone"

admitted that I hadn't heard about it or seen (but thought to myself it sounded a bit fishy). By about the third or fourth call from one of our customers, I had my coat in hand, and was headed down

to the drug store to secure a copy of the magazine.

And sure enough, towards the back of the publication was a full page ad with a black and white photograph (see example) showing a complete computer system including a monitor, a printer and a mouse. logo depicted on the equipment was unmistakable.

The familiar black and white Sinclair trademark.
But wait. There was also something familiar about that computer. It looked suspiciously like an

AMSTRAD PC-1640.

It wasn't until a month later, that I heard the complete details behind this mystery computer. It was at the Midwest Sinclair Conference in Cleveland. Ohio, during a lecture by Nigel Searle (a business associate and personal friend of Clive Sinclair).

Nigel told the audience that when the Z88 portable computer came to the U.S., the national distributor took on the business name of "SINCLAIR SYSTEMS INC."...until, that is, lawyers from AMSTRAD showed up. They said, "no way...we hold the exclusive world-wide rights to the SINCLAIR name".

Indeed, back in 1986, Clive sold his computer company to save his faltering research organization. But through some hazy clarification, Clive thought that the deal signed with ANSTRAD only included the exclusive use of the Sinclair name in Europe. But AMSTRAD, and it's shrewd chairman, Alan Sugar, had

other ideas.

To avoid a nesty legal battle, the Z88 distributor instead elected to use the simple initials, "SSI". But it was reported, that Alan Sugar and AMSTRAD still harboured ill feelings toward Clive, thinking that he somehow tried to cheat them.

It was at the Chicago Consumer Electronics Show. that this clash came to a head. By chance, AMSTRAD and SSI had adjoining booths. Both Nigel Searle and

Clive Sinclair were there to promote the Z88.
When they looked over at the AMSTRAD booth, they believe their eyes. Right out in front was couldn't one of AMSTRAD's Korean-made PC clones. And where the logo should have been, somebody had taken the old Sinclair logo (literally cut out of a magazine or brochure), and had scotch-taped it over the AMSTRAD

It was very obvious that Alan Sugar was trying to "punish" Clive Sinclair. It is well known that Clive has never had any desire to produce an MS-DCS machine. Just look at how non-conforming the Sinclair computers have been, right down to the black plastic

Cases (no beige here).

Originally, the sale of his computer company and certainly the use of his name by a competitor, bothered Sir Clive a bit. But now, looking at these "disguised" computers, both Nigel and Clive chuckled

out loud.

So thus the story of the Sinclair "clone". However, we did hear from a reliable source, that AMSTRAD will market this "new" computer, banking on increased sales, even though both the similar AMSTRAD model and the re-packaged "Sincleir" model will both be sold simultaneously here in the U.S. Supposedly the AMSTRAD PC stock hasn't moved to Alan Sugar's liking. With the Sinclair version, he is counting on name familiarity.

Will the old TS1000 and ZX-81 owners (at one time, nearly a million strong) be fooled by this "wolf in sheep's clothing"? - Tim Woods



SUMMER T/S SHOWS

Small crowds, large exhibitor displays, and excellent guest speakers, marked the opening of summer Timex Sinclair computer shows in two different

geographical locations.

Third Annual Northwest/International Timex The Sinclair Mini-Fair "kicked off" on August 6 and 7, at the Cosmopolitan Hotel in Portland, Oregon. The event, produced by Rod Gowen, was organized and structured very professionally, and was compared in some aspects to the Indianapolis Timex show held last

Ed Grey (Ed Grey Enterprises) demonstrated modems, serial cards, and digitized video. Sharp's Inc. had a full spread of QL and Z00 items. RMG Enterprises featured printers, monitors, and disk drive systems stacked shoulder high, But Zebra Systems had largest display, with ten tables full of TS1000 and TS2068 merchandise.

Nigel Searle, representing SSI and promoting the new Z88 portable computer, shared a booth with George Whitham of A+ Computer Response, Jack Dohany had a customized work station that allowed him to produce 2068 software for a variety of systems and disk drive formats. Time Designs and Foote Software also had

some displays.

Not to be out-done, the users groups provided some interesting things to look at. At the CCAT/S booth, Ed Fry demonstrated his four-port expansion decoder for the TS1000 (see his article on the dein this issue of TDM). Another TS1000 operated a Radio Shack robot arm at the SEATUG booth. demonstrated a Larken disk drive system and provided information on a public domain software exchange. Both the Vancouver and Les Vegas groups provided newsletters and information about their activities.

Guest speakers in the seminar room included Jack Dohany, Mike de Sosa, Wilf Rigter, Ed Grey, Harvey Taylor, Michael Carver, Nigel Searls, Vince Lyon, and

Dick Wegner.

Late Saturday night, a special "Round Table" session was held (open to the public), with many of the guest speakers presiding, fielded questions from the audience. Several computer topics were discussed, including "shareware", copy protection, software piracy, computer viruses, the Z88 portable computer,



TOP: Timex/Sinclair users who participated in a special meeting on Saturday night in Cleveland, Chio. One of the topics discussed was the feasibility of S.N.U.G. (photo courtesy of Tom SINDLE: Jack Dohany discusses disk drive systems for the 2068 at the Portland show. (photo courtesy of Tom Moll) BOTTOM: Mike de Some lectures on his favorite subject, the Sinclair (L, at the Portland show. (photo courtesy of Tom Moll).

a telecommunications network proposal, and S.N.U.G. (Sinclair Northamerica Users Group...an idea originally initiated by some individuals at the computer fest in Florida).

Next, it was off to the 1988 Midwest Timex Sinclair Conference, which was held on August 27 and 28, at the Beck Center for the Arts, in Lakewood, Ohio (a suburb of Cleveland). The Greater Cleveland Sinclair Users Group was the host, headed by the very capable Andy Kosiorek. The community theatre complex. only a few blocks from the shore line of Lake Erie, was a fine location for a computer show.

Most of the dealers who attended the Portland gathering, were also in attendance at Cleveland, with the addition of Dan Elliott (computer repair technician), Bryce Road Pharmacy (an Amstrad dealer), Budget Robotics & Computing, and Syncware News.

Along with the Cleveland group, the Capital Area T/S Users Group, the Indiana Sinclair Users Group, the SAF (Michigan) Users Group, and the Southwest Pennsylvania Users Group, had computer displays.

The SAF (Michigan) Users Group, and the Southwest Pennsylvania Users Group, had computer displays.

Seminars were provided by Tom Bent, Nigel Searle, Bruce C. Taylor, James Dupuy, Ken Wildman. Frank Davis, Gary Ganger, Basil Wentworth, David Hosher, Ron Lutz, Bill Bell, and Ken Wildman.

The seminar presented by Nigel Searle drew the most attention. The topic was "Sinclair History-ZX80 to Z88" and included a visual presentation that

The seminar presented by Nigel Searle drew the most attention. The topic was "Sinclair History-ZX80 to ZS8" and included a visual presentation that traced the evolution of the ZX80 and ZX81 computers. Nigel has been a business associate and close friend of Clive Sinclair for over 15 years. He related many humorous stories and an insight into the development of our favorite hobby.

On Saturday night, a special users meeting was held for anyons interested, and the major topic of discussion was S.N.U.G. In attendance was Hel Nathanson, one of the key individuals who started the concept, and is currently pro tem Chairman of S.N.U.G. He gave a brief presentation and shared some ideas. There were both positive and negative comments from the audience during an open discussion period. The meeting wrapped-up with a group photo (the result of which can be found in this issue), and a catered dessert social afterwards.

The producers of both shows were marginally disappointed in the numbers in attendance. One individual, who asked not to be identified, discussed this problem at length.

this problem at length.

"If all of the locals had showed up, it would have been a success. If all of the people who wrote or told me over the phone they were coming, had 7



THE NEWSROOM continued next page.

showed, it would have been a success". He then added, "I talked to this one 2068 owner who is within driving distance, and he was almost shocked when I asked him if he was coming to the show. No, he replied, but I do want to attend a show sometime. What this guy doesn't realize, is that if folks don't get behind these shows and support them...there won't be anymore shows:"

Another show promoter attributed the low numbers to the less-than-desirable show scheduling, and the declining number of users interested in Timex

Sinclair computers.

Over-all, the single most important component of these public gatherings is the exchange of vital information. At both the Northwest and Midwest shows, the guest speakers were captured on video tape, and are available for those who were unable to attend. A wide variety of topics is offered. For further details on prices and a list of topics, contact the following representatives. Northwest Mini-Fair: Rod Gowen, 1419 1/2 7th Street, Oregon City, OR 97045. Midwest T/S Conference: James Dupuy, 6514 Bradley Ave. (down), Parma, OH 44129.

- Tim Woods

SPECTRUM PRODUCT NEWS An Eye On Great Britain



Though many believe that our little computers are dead, the best way to prove them wrong, is by showing them the amount of Spectrum hardware and software coming our of Great Britain and Europe these days. For the Timex Sinclair 2068 owner, this may mean the addition of a "twister board" for the rear port (available from John Mathewson, 1852 Appleford St., Gloucester, Ontario, Canada Kij-6T4), and a Spectrum ROM (available from Zebra Systems and Russell Electronics), but it is well worth the money to open up your world to thousands of software titles and hundreds of hardware add-ons. Here are some of the latest additions to this growing list.

the latest additions to this growing list.

Datel Electronics Ltd. (Fenton Industrial Estate, Govan Road, Fenton, Stoke-On-Trent, England, phone 0782-744707) has introduced the ROBOTARM, a robot arm and interface for the Spectrum. The arm is more versatile than Radio Shack's "Armitron", with 5 exis manipulation and the ability to pick up objects as small as paper clips and as large as a tennis ball. The ROBOTARM includes a magnet and scoop, and can operate without a computer via two joysticks. The ROBOTARM costs £49.99, and the Spectrum interface with control software costs an additional £19.99. Datel Electronics accepts VISA

credit card orders.

Romantic Robot UK Ltd. (54 Deanscroft Ave., London, England NW9 SEN, phone 01-200-8870), is now offering the VIDEOFACE, video digitizer for £44.95. The VIDEOFACE converts pictures from a video camera or recorder into standard hi-res Spectrum screens. The VIDEOFACE uses a standard composite video signal and the software (included) is menu driven. Romantic

Robot UK Ltd. accepts VISA credit card orders.

Remember the ROTRONICS WAFADRIVE? They are now available from Logic Sales Ltd. (19, The Broadway Southgate, London N14, England, phone 01-882-4942). These are the same stringy floppy drives and operating system that were sold here in the states a couple of years ago. They are currently priced to sell out at £14.99. Logic Sales also has 16K and 64K wafer cartridges at £2.00 and £3.50 respectively.


JUST RELEASED

TS1000/TS1500

A comprehensive Timex/Sinclair Public Domain Software Library is maintained by the VISTA (Vashon Island, Washington) group and is available to the general public. Currently there are six 60-minute cassette tapes of programs for the TS1000. Programs for the 2068 will be offered shortly. Tapes can be obtained for a nominel fee that covers the cost of a quality blank tape, postage and handling, etc. For complete details, write to: Tim Ward, 5142-D Ginkgo Dr. S.W., Tacoma, WA 98439; or Tony Willing, PO Box 199, Vashon, WA 98070. The group is also looking for, and will gladly accept program submissions/donations to the library.

TS2068

One of the top stories in our last issue's news section, was a hardware device and software to allow 2068 users to attach an OKIMATE 20 color printer. The trick was to purchase the optional Commodore (serial) "Plug 'N Print" package. But now, a much simpler solution has come to light by John McMichael, the same individual who developed the Commodore emulation I/F and software. By selecting the IBM (parallel) "Plug 'N Print" package, it will adapt directly to an AERCO Centronics/parallel printer interface (or Oliger and Foote Print). No other hardware is required. Standard Aerco-type printing software should work "as is". However, John McMichael has re-written his COLOR COPY (color screen dump utility) program for this new interface configuration. COLOR COPY is priced at \$8.95 ppd. For details, write to John McMichael, 1710 Palmer Dr., Laramie, WY 82070.




There has been a great demand for "serious" 2066 business software. GRAPHIT-1 might just fit the bill. GRAPHIT-1 offers the choice of six different graph types (see examples above), up to 18 separate input values can be graphed, and the full-size printer support section (AERCO I/F compatible) can be user customized. A joystick is required, as the menus are selected similar to the way a "point" in click" mouse works. GRAPHIT-1 is reasonably priced at \$5.00 + \$1 58H. from a brand new company, BOTTLE CAP SOFTWARE, 1284 Brushwood Ave., Cincinnati, OH 45224. An outstanding "excuse" to keep your faithful TS2068 working, rather than trading it in for a new new titles now being released are anything like their previous programs, 2068 fans are in for a real treat. THE PRINT FACTORY will unleash "PRINT SHOP" power and flexibility upon your full-size printer, with eight separate programs, and over 150 graphic

These are the same wafers used with the A&J Micro-drive system. Logic Sales accepts VISA credit card orders.


TASCALC is Tasman Software's new 52 column x 157 row spreadsheet software package. The Spreadsheet includes on-screen help and interactive prompts. In addition to TASCALC, there are several other new programs for the Spectrum+ 128K and Spectrum+ 3 series of computers. Write to Tasman Software (Spring Field Mouse, Hyde Terrace, Leeds, LS2 9LN. England) for futher details, or phone 0532-438301. Tasman Software accepts VISA credit card orders.

- Michael J. Feleraki

designs included. 2+FAST is a "fast load" software system, that will SAVE and LOAD your tape data up to 2.5 times faster. THE VOICE is a speech development system that includes a headset microphone. BYTE POWER also operates a "software magazine" on tape, with around ten programs per issue. The most recent one contained a very impressive program called SPREAD-SHEET II (64 columns, joystick controlled). Most all of BYTE POWER's programs will operate on the Spectrum too. For further details and prices, write to: BYTE POWER, 1748 Meadowview Ave., Pickering, Ontario, CANADA L1V-3G8.



Some pretty fascinating stuff coming out of ZUNK CUSTOM ELECTRONICS (4800 E. Cedar Lane, Norman, OK 73071). Larry Zunk, owner/operator, has developed a software mystem called CADZ (requires Novelsoft's ARTWORX and 32K additional Dock RAM...which is available from various sources, including ZUNK). To prove the usefulness of CADZ, Mr. Zunk has used it to design an electronic fuel injection system, a monitor for a MAZDA rotary engine in an experimental airplane, and a computer-controlled driverless steering system for an experimental mass-transit vehicle. (Note: See the sample screen dump above.) For an information packet, including software/hardware catalog and documentation, send \$1 to address posted above. The buck is refunded with any purchase.



Several arcade games for the 2068 and Spectrum are available from MAGICKSOFT (735 S. Cline Ave. 411, Newton, NC 28658). A sample screen from GULF WAR is shown above. Write for further information.

SINCLAIR QL

Serious QL users will be interested in a new catalog that lists many unique and useful software packages, all of which were developed by North American programmers. The catalog lists business and financial titles, disk and programming utilities. Get your free copy today, by writing to: EMSOFT, PO

Get your free copy teday, by writing to: EMSOFT, Po Box 8763, Boston, MA 02114.

META MEDIA PRODUCTIONS (726 West 17th. Vancouver, B.C., CANADA V5Z 179) has announced that they are now marketing their Q_LINK terminal software as "sharewere". Q_LINK author, Harvey Taylor, reported that he had learned that his program was being pirated (illegally copied and distributed) around the U.S. Promoting Q_LINK as sharewere is the companies response to this nagging problem. Those who wish to officially register their copy of Q_LINK, can send \$15, and receive a) copy of the user manual, b) telephone support, c) news about future updates, d) further support weres such Unarc, Uncrunch, Filters, etc., as they become available. Currently, Q_LINK version 1.556 is available.



PIXEL PRINT PROFESSIONAL!

THE DESKTOP PUBLISHER

by: Lemke Software Development



T5-2068

* based on the Pixel Print PLUS! Desktop Publisher

* Bank-Switching for Perfect Page Layout, 64 col. printing

* AERCO, LARKEN, OLIGER Disks (\$29.95 all versions)

* IBM/EPSON/STAR/PROWRITER Compatible Graphics

* 72 to 90 Dot per inch printer graphics required



PIXEL PRINT 1989 PERSONAL CALENDAR PLUS!

* 14 Month Calendar

* Loads into Pixel Print DTP (versions 3.1 thru 3.6)

* Personalize it with the DTP

* Print 1 or 4 months per page = * Comes with 80 Calendar ICARS

* PLUS! ICON Library Manager

* \$19.95 ppd (order today)




JANUARY 19

SUN MON TUE WED THU FRI SAT

I DEN
YEAR'S
DAY

S
9 10 11 12 13 14



EXCLUSIVE INTERVIEW

MIGEL SEARLE



BY TIM WOODS

It was very early on a Sunday morning, and it was pouring down large rain drops, quite warm and humid, but drenching indeed. Perhaps the weather was fitting for the occasion...similar to the climate of Great Britain, the homeland of my distinguished breakfast guest (and certainly of the Northwest where I reside)

This was the second day of the Midwest Sinclair Conference in Cleveland, Ohio. The previous day, I had sat in on a very interesting seminar on the history and development of Sinclair microcomputers, conducted by Nigel Searls. Nigel had worn several hats in the Sinclair hierarchy, including top executive, second in command, right under company founder Clive Sinclair, and then later, the U.S. Marketing Director of Sinclair

Research in Boston

I guess that I have always had this preconceived notion, that Sir Clive Sinclair was this very proper "stiff-lipped" English inventor; but Nigel quickly shot down this view during his lecture. Nigel has known Clive for over sixteen years, both as a business are clate and as a close friend. Nigel related several humanous stories, including Clive's antics at a company Christmas party, about an incident in a pub, and his dealings with British bankers. One year, when the Ministry of Education denied approval of the Sinclair ZX81 for use in the primary schools (but instead granted approval to Apricot, a competitor), Sinclair re-submitted a "brand new" model, the Spectrum. But unknown to the Ministry, was that this particular computer submitted for review, actually had a ZX81 mother board installed inside: The "new" computer was promptly approved.

During the early years with Sinclair, Nigel found himself frequently commuting to the United States. At first, working with Texas Instruments, to program a custom chip that would be used in a Sinclair scientific calculator; and then later, to promote new Sinclair

Computers.

Currently, Nigel resides in the U.S., and is the owner and operator of The Marketing Clinic in Keens, New Hampshire, a public relations and marketing firm. He also helps produce a weekly radio show on personal computers, heard in the New England area

Nigel continues to work with Sincleir in an outside consultant capacity, and was brought in to help SSI (and other affiliates of CAMBRIDGE COMPUTER-North America) promote the new 288 portable computer, and

future computer product releases

Nigel, without hesitation, generously agreed to do an interview for TIME DESIGNS. To reminisce about the "early days" of Sinclair computers (including the QL, which for the most part, was his project), and to offer a few clues as to what we can expect from Sir Clive in the not so distant future. And so, over breakfast, the following exchange occurred.

Tim: First of all, for those TIME DESIGNS readers who weren't fortunate enough to attend your lecture hers in Cleveland on the "history of Sinclair computers", let's go back a bit. What were your "roote" (like the Alex Halley novel)? How did you become a member of the Sinclair "legacy"? Basicelly, how did it all begin?

Nigel: It actually happened through an organization known as MENSA, which I had become a member of, when I was in college. When I was about to graduate, someone who I knew through MENSA, introduced me to a guy called Tim Idelwatt, who had started him own company in Cambridge, England. And as a result of that meeting, I was offered and accepted a job with Tim's company. Tim was a friend of Clive Sinclair, and through Tim, I met Clive who also happened to be a member of MENSA.

I worked for CAMBRIDGE CONSULTANTS, company, for a couple of years then decided to leave the company and work on my own. I guess that 1 felt they were paying as relatively little. All they were providing we with was a pencil and paper, and a place to sit, and then they were charging clients about five times as such as they were paying se. And I'd also, because of the circumstances under which I had gone to work there, I'd been thrown into the position where I had to find clients eyself. And so I figured I could do it just as well on my own. Shortly after I left Cambridge Consultants to work on my own, I got a phone call from Clive Sinclair asking me if I was Interested in working on a calculator. That was the middle of 1972. Right at that time, SINCLAIR RADIONICS was bringing out its first calculator called the "Executive", but Clive already had plans to work on a scientific calculator, and that was the first project I worked on.

For quite a while there, I wasn't a full time smployee. I'd made the big break and decided that I wanted to work for syself, to work as a consultant. Although I had an office at Sinclair, and spent quite a lot of time working on that project, I didn't work there full time and I worked on other projects for other clients as well. It (the calculator) was certainly the major thing that I was working on for a few years there.

Tim: How long had Binclair Radionics been around before you joined on?

Nigel: Sincleir Radionics had been around for almost ten years, and had been doing mainly audio, etarted selling parts initially, amplifiers, kits, and later, just before I joined them they started selling speakers and stuff like that.

I really only knew Clive and his company through his friendship with this guy Tim Idelwatt, who ren Cambridge Consultants, and as someone who was running a business locally. To tell the truth, at Cambridge Consultants where must of the eapleyees were graduates of Cambridge University and a lot of them had advanced degrees, and we tended to look down our noses a little bit at Sinclair Radionics. The technical people at Sinclair weren't as well aducated and as well qualified as we were.

I guess if there was any perception of what Sinclair was all about was that it was a crass commercial organization compared to the almost ivory tower stuff that we used to do at Cambridge

Consultants.

Time (chuckling) But it was a job...a paying job. (more seriously) it seems like Sir Clive had a talent for bringing into his company key people with bright ideas. Is this a quality that you noticed?

Nigel: Well, Clive had never been to college. That was a conscious choice that he made, I think he was very sympethetic toward the Idea that formal education doesn't necessarily have much to do with ability. And so he tended to look for different qualities in people other than formal educational qualifications. And so, year there were a lot of people who were pretty bright, creative sort of people who were pretty bright, creative sort of people. People who may not have been too happy in a core conventional organization. A lot of people like that played a big part in Sinclair's success over the next few years. And interestingly, a lot of them, when they eventually left Sinclair, did so to go and start their own businesses. And I think that's a credit to the company. I think Clive always felt that

"The guy who was given the job of designing the appearance of the QL was given a 2068 with instructions to take a close look at it..."

if momebody left the company to go and work for someone else, that was their problem and that they probably hadn't ever really been good enough to work for him anyway. But if they left to go and start their own company he was extremely supportive, however sorry he may have been to loose them, and he frequently used them if the company they had started did any sort of consultant work.

Tim: Let's advance history a little bit with the ZX80 and ZX81. As far as the Sinclair following over here, a lot of people consider Sinclair SASIC and the single keystroke command function as superior engineering features. How much influence did Sir Clive have over that design, or did he bring in someone with that ides?

Nigel: I really don't know. When I first saw the ZX80 in January of 1980, shortly before it was launched, Clive showed it to me to explain to me what his new company (SINCLAIR RESEARCH LTD.) was going to be doing. Those features were already designed into the ZX80. My guess is that the keyboard stuff probably came from Clive. In 1975 I had worked on the dosign of a programmable scientific calculator which for reasons of economy and compactness, Clive had wanted to put into the same case, a very small calculator which had been designed originally as a four-function calculator. So we had if keys to play with, so each key had to serve at least two and usually three separate functions.

Time I had heard that because of the membrane keyboard, that people weren't going to do a lot of typing on it. And that was possibly one of the design considerations for using a command-key arrangement.

Nighl: That's possible. But I'd be surprised if there wasn't a connection between that keyboard and the way we crammed a great deal onto keyboards previously. And in fact, from a programming point of view, with the designer's, it's probably easier to recognize first of all that a shift key has been presed and recognize that keys have been presed after that, and that it is a whole command rather than to recognize a sequence of individual characters. The syntax checking—I don't know where that came from, but in retrospect its the mort of thing that would fall out if you encouraged whosver was doing the programming to look at the way that calculators had worked. I dean basically, If you enter an Illegal character sequence into a calculator, whatever that may be—two decimal points following one another, it will

NIGEL SEARLE

recognize it immediately. Its a claver idea, It was a feature that was much appreciated in the machine. My gumes is that it work of just dropped out of the design criteris.

Tim: Here in the U.S., our major contact with Sinclair was through Timex and their mass marketing. Timex brought out the TS1000, and then the TS2068 for a short time, which was based on the Spectrum design. I had heard that Sir Clive made a commant that Timex had "fouled up" his Spectrum, in a well published statement. Did he actually believe that Timex had massed up the Spectrum design?

Nigel: Well we had high hopes for the American market. By the middle of 1982, Sinclair was actually deriving more of its revenue, more of its sales and profit, from the U.S. than the rost of the world put together. Even though in the States we'd been selling the ZXBO while the rest of the world had the ZXBI, we'd been selling the ZX81 for a few months while the rest of the world had the Spectrum. So we had very high hopes for the American market, but they clearly depended upon going retail. We felt that our name was unknown to the major retailers in the States. We had no makes force. We had he experience in managing/motivating a makes force in the States. And so we decided we needed to find a partner who knew that. And Times clearly knew and understood the product. They had been manufacturing the ZXB1 for us am a sub-contractor, and they had a lot of wales people calling on every conceivable type of account melling watches and everthing else. In some respects I think that we looked at Timex and eaid "well, at least thank God that they were there, and we weren't", because frankly, we would have lost our shirts in '83 with whatever our strategy would have been in the States. The market was out of control of any individual manufacturer, and it was marketing in



NIGEL SEARLE

which everyone was guranteed to loose money no matter how intelligently they handled themselves. Go Times took the brunt of that. I think that Times might well look back at the situation and say to themselves "boy, I wonder if Sinclair really knew enough about the buminess to anticipate what was going to happen and lured us into taking the brunt of it". You know. You know, if I was in their shoes, I might think that. But I think that at times, Clive would agree, and I believe he made comments to this affect (regarding the Timex T82068), and he had a considerable sympathy for Timex that they got into a business which looked as though it would be very very profitable for both of us, and turned out to be otherwise. Having said that, there were certainly times when both Clive and I thought, and anybody mise who wer involved thought that Timex was not helping Itself as much as it might have done. I think for example, Times was right to hire mose mentor management to run its computer business. You didn't want the business to be run by a guy who's primary concern was designing, making, and selling watches, because the computer business would seem to him to be a reletively small business initially and parhaps wouldn't gat enough attention. You needed to have people in Timex who didn't have anything to do with watches, who's lives depended on the computers being successul. But what they did was to build up an entirely separate organization, and they didn't use of all the expertise they got out in the field of welling. The reason was, "well the guy who is a watch buyer isn't the computer buyer". I always felt there must of been some way that they could use their leverage as a major supplier of watches to department stores and drug stores as a way of opening the doors and having the right influence in getting the product out. And maybe they did to some extent, because they were pretty affective in getting the product out. But, year I think they did a lot of things that--I they spent a lot of time screwing around with the Spectrum and redesigning it, and by the time they had done it, I think that they had got a machine which was butter than the Spectrum in many respects, but it was a lot later. So whether the 2068, when they got it was better than the Spectrum would have been, when they could have had the Spectrum, was certainly debatable.

I remember Clive's reaction to the T82068, was that he thought it was a pretty neat design. Bo much so, that—the GL was at a stage of dovalonment where we were beginning to think about exactly what it should look like. The guy who was given the job of designing the appearance of the GL was given a 2068 with instructions to take a close look at it and see what could be learned from it. And I think the GL owes something to its design, to the 2068. That was something that Clive, as I recail, encouraged.

Time There was some talk about an expanded 152068 with more memory, bank-switching, and some sort of higher operating system. There was also a rumor that Sinclair engineers were working on an advanced Spectrum with technology which would be shared with the Timex organization. Were you aware of any such project?

Nigel: To the best of my recollection there wasn't. There weren't projects within Sinclair to develop the Spectrum further. It was a constant topic of conversation after the GL design was well under way, as to whether we should attempt to replace the Spectrum with anything. We eventually approached the problem by saying "what is the worst thing any competitor would do that would hurt our sales of Spectrum computers?" And we decided that the greatest weakness of the Spectrum was the keyboard. And I think this must have been 1984, because I think the GL was already lauched, was already in production. So what we decided to do very simply was to design a new case for the Spectrum. That became the Spectrum Plus. And all we were doing was designing a new case so that production would literally switch over as soon as the case became available, and the same printed circuit board and everything else would go into the case. That turned out to be a very key sove in maintaining our market position and maintaining our margine, because we were able to charge more for the Spectrum Plus, or at least we were able to go on

charging what we'd been charging for the Spectrum. Otherwise we would probably would have had to lower the price.

And so I remember that decision being made very late in the year; a big rush to get that out before the end of the year. We'd been pratty much ismobilized. Nobody could decide exactly what to do about the Spectrum, althought there were lots of ideas around. But it was much later, probably in 1985 before any work really got underway on the 128K Spectrum and products like that.

Tim: At a recent Timex Sinclair user group meeting in New York, Billy Skyrme, who was the former head of Research and Development at Timex, now with Paion, described a computer called the T93068 which was slated for production. Was this pretty much an "inhouse" Timex design?

Nigel: Yeah, I'm pretty sure it would be.

Tim: Someone just suggested that Sincleir engineers were working on the design with Timex; but to your knowledge, that wasn't the case?

Nigel: We did have one engineer within Sinciair who was appointed specifically as a liseon with Timex. Timex may have saked his advice about things, and he may have played around with and looked at the

"I wouldn't be totally amazed if I'd woke up in ten year's time and found that the product had both their (TIMEX and SINCLAIR) names on it."

feasability of some things like that. But it certainly wasn't momething that we were working on.

Tim: Incidently, Times is still fairly committed to secrecy over a lot of things that they were working on. At the same user group meeting, Billy Skyrne mentioned that he could only tell (the group members) about a few things, but that a lot of information couldn't be divulged because of contractuel agreements.

Nigel: Hemm. Well Timex did have some surprising projects going on. (a bit of silence) I mean I probably shouldn't mention some of the things for the same reason, because I don't know what they are doing with them today, but let's eay that one of the attractions of Sinclair and Timex, was that Clive's always been interested in "miniaturization". Me's launched at least a couple of wrist-based products. A wrist calculator that's not a watch, a digital watch, he had a watch radio. So at least three products now, I think, that were worn on the wrist. And Timex, and so fer as it is a watch company, and certainly understands that people may want things on their wrist that do nore than just tell the time. Timex has already produced calculator watches, and they have a watch that has a lot of timing functions and so on, which has been the best-colling single model of a watch for a couple of years in succession.

So both Clive and Timex have somewhere down the road in their minds, a sort of "Dick Tracy" type thing with a television, and a telephone, and everything else built into it, that you still wear on your wrist.

Tim: This is still something that they (Timex and Sinclair) are working on, not just a conception; but an actual product?

Nigel: I mean it's...you know, if I fell asiesp now and woke up in ten year's time, I wouldn't be surprised to find sither the Sinclair or the Timex name on a product like that. And I guest despite the past history that Timex and Sinclair's relationship

MIGEL SEARILE

ham not been a mutually profitable one, I gumms that I wouldn't be totally awared if I'd woke up in ten year's time and found that the product had both their mage on it.

Tim: In Times still producing computers with Sinclair technology at this time, or have they scrapped all of that?

Nigel: Timex? As far as I know, Timex is not doing any computer work at all. As far as I know. But I quess I wouldn't know if they were.

Time Do they still have the rights to Sinclair technology, or has the sale to Amstrad taken that away?

Nigel: I'm pretty sure that the licensing agreement between Binclair and Timex has expired by virtue of Times's not offering any products for sale for a certain period of time, the agreement would just terminate itself under those circumstances. So I think that when Glive sold the rights to Amstrad to the personal computer stock, that would have included the rights which had formally belonged to Timex.

Time Let's turn to the QL. You had a lot more "hands on" with the GL project, than perhaps the 2x81 and Spectrum. What was your role in the development of the GL?

Nigels Mostly eart of conceptual. Originally the QL was designed to have a built-in acreen utilizing Binclair's flat cathode-ray tube technology. And it was originally conceived to have a built-in modem. Some of the things that I remember about it...you know, obviously the flat screen got dropped simply because that technology was not going to be manufacturable in the time scale. The decision to use the 68000 chip was made pretty early on. And although wa sort of wavered over that a number of times, the estuation as I recall it is, that besically the engineers who were going to work on the design of the machine, both from a hardware and a moftware point of view, would have had extremely little enthusiass for using anything other than the 48000. They saw the 68000 as being the state of the art microprocessor. suspect that we may have lost some of those people to other companies, while they would have had the opportunity to work with the 68000. And I think that everyone would have agreed that it didn't necessarily enable you to do anything that you couldn't have done with others, particularly because W8 Were Using such a minimal version of the 68000, the 69008. But in the long term, it gave us an upgrade path as well. Had the QL been more successful you might be sesing a St today with a 58020 or even a 68030 in it.

The moftware that Psion designed for the machine was pratty radical at the time, and that was comething that I was involved in, certainly the idea of having that software built in. It was something that I instigated with David Potter of Paion.

I had been shown, in confidence, version of GEM From Digital Research, and it was one of those mituations, where it confirmed something that I'd already been thinking. I'd had this idea which to me at the time was an original idea, but I probably, you know, read it when I was half asleep sometime -stole it from somebody size. But when I saw GEM, I know that it was right. The idea was a really radical one at the time, and it was the idea that you should have a spreadsheet which from a user interface point of view, looked just like a word-processor or the database. In other words, all the time that you spent learning to use the spreadsheet, shouldn't be wasted when you wanted to use the database program. You should see eigilar things on the ecreen. The Fi key should do the same thing, the F2 key, everything should be, the whole user interface should be as mapped as closely as possible. And that was, in my mind, the most eignificant thing we were doing with the software from Psion, was not simply that we were offering a set of progress like that, but that they all worked in a similar way.

Time I have to sek you this. There was an interview with Sir Clive a while back, and the statement was made by Clive that he wanted to use the ZBO processor in the Ω_{L_2} and that it was your persuasion that the same and to use the 32-bit processor, and now (looking back), he wished that he had "stuck to his gune", rather than lietening to you. How do you feel about that statement?

Nigel: Well, Clive's had a love affair with the 280 for a long time, as evidenced by the 288 computer. He's very impressed with the fact, that for a mere dollar or so, you can buy this incredibly powerful microprocessor, which the 280 certainly is. He also, at one time, had a love affair with the 68000. And he and I visited Motorola, I believe in January of 1982 in Phoenix. And we had some very high-lavel meetings with people in Motorola, And Clive was very such convinced at that time, that the 68000 would be the way of the future, and was very taken with the idea, that and his company would be leaders in using the 68000. That's not to say that he didn't subsequently decide that the 200 after all was much better, I think that maybe he got married to the Z80, and had an effetr with the 68000, and then he went back to him "wife".

And certainly, as far as the GL was concerned, I don't think it was my idea originally to use the 68000, but I think that we did go back and forward. and we considered using other processors including the ZBO. When ultimately the decision was made, Clive is probably right, he probably said to me eventually, "look, your running the company, your working with the guys who are going to work on this project, you decide". And it's possible in that sense, that he chose to let me decide, or he listened to my arguments, and was even persuaded by them, or thought that he ought to not be making every decision in the company on things like that. I have no doubt whatthough that both from the point of view that BORVER had the QL been successful, it would have given us an and from the point of view of uporade path,



GIFT TIMI SHEDI

RMS wishes to show our gratitude for the continued support of TDM readers by effering a SPECIAL XMAS DISCOUNT on ANY disk system in our regular line. If you get your disk system order in to us BEFORE 12/15/88, AND include a copy of this ad, you will receive an added

10% DISCOUNT

off our already LOW prices! Includes AERCO or LARKEN SYSTEMS. If you have a catalog and wish to order, just fill in the order form and deduct 10% from the Item price ONLY! THEN ADD THE SHIPPING. DON'T WAIT! SAVE UP TO \$40 TODAY!

USA RMG ENTERPRISES

1419 1/2 7TH STREET
OREGON CITY, OREGON 97045
503/655-7484 * NOON-10 TUE-SAT

??????????????? (NOT VALID WITH ANY OTHER SPECIAL)

DIGEL SEARLE

motivating people to work on the project. I do not believe we could have gotten really good people

working on a ZBO project.

I have talked to Clive about it more recently, and I certainly expressed my view to him that the "Achilles" Heel" of the GL was the Microdrives. Maybe he just chooses not to argue with me about it any longer (laughe). But obviously as I say, he still has a pretty strong feelings about it. I'm sure that the use of the 280 in the 288 is not some sort of accident, it's there by design.

Tim: In another interview, more recently than the one I just mentioned, that he (Sir Clive) feels that since disk drives are mechanical, and that all mechanical things will eventually be replaced by solid state. I personally don't see this occuring for some time, of phasing out disk drives, hard drives, drives of any type. Why is it that he has always been "anti-disk drive"?

Nigels (pause) I don't know. I think it is a (enother pause)...I don't think that he is just entidisk drive because it's a mechanical device. Microdrives are a mechanical device as well. A disk drive is always going to make a machine more ex-pensive, because of the mechanism that's gotta be

> "But I believe he is still working on... what we would call today, a SUPER COMPUTER ..."

built in there. It's gonna have some speed problems because there isn't equally instantanious access to all parts of the drive. Disk drives are going to have the advantage of the media being very, very cheap. But ultimately, I guese there is no reason why solid state can't be very cheep too. And Clive is, in many respects, more of a semi-conductor person than a computer person. One of the reasons that ha's been able to design some of the products he has at very low cost, is that he's been able to take advantage of the semi-conductor industry's producing and sometimes use it for purposes that it never intended. And he has a very good, very deep understanding of what's going on in the semi-conductor industry. And] he believes that one of these days, in thi ak sufficient volume, the mest-conductor industry will be able to chure out a 10 Megabyte chip cheaper than a, or very close to, as cheaply as you can produce a 10 Megabyte disk.

Tims Jumping to the ISS portable computer -- I remember about a year ago speaking with you on the phone about your impressions of the Z88. At that time, you fait that the machine was "a little late" in retrospect of the portable computer market. And then here, many months later, I find out that you are a key figure in marketing the machine here in the U.S. Why did you Jump on the ZBS "band wagon"? Did Clive give you an Offer that you couldn't refuse?

Nigel: No (pause) I think that the ZBB, and I want to be dereful about what I may, because I have some knowledge of the company's future plans and I don't

want to give thee away in any sense.

Sinclair Research as a personal computer company eventually became a company that did over 100 million business in a year. Then the exchange rate was over 150 million dollars a year. It certainly couldn't have done that without the ZXBO. The ZXBO was a successful product given what it was. But we mold a few tens of thousands of them world-wide, end it took us over a year to do that. Later on we sold twice as many Spectrums in a single month as we'd ever sold ZX80's in a whole year. So the ZX80 was a "launching pad". And I guess my feelings about the Z88 are somewhat similar. I think it will find a market. I think it will be successful. But it will be a limited market. We're not going to sail millions of 288's. I think that if the company remains committed to the portable market, and looks at what it can do in the form of a Z89, and the 290, and the 291. And makes the same sort of progress that it made in going to the ZXBO, to the ZXB1, and to the Spectrum, and to the GL, then I think we can sell millions of portable computers. So, if I'd thought the IOS was the end of the design line for portable computers, I'd say its got a limited life--its going to be overtaken by other manufacturers products sometime in the next 24 months. But as long as it's the company's intention to itself overtake the 188 and these competitors with one or more new products, then there's a real future there.

Time So Clive is working on other laptops?

Nigel: (smiling) I hope so.

Time DK.

Nicel: I hope so, because I mean not because I think the 288 is the only portable computer thats really small enough to carry around with you wherever you go at the moment, and it will remain that way for another year, with luck maybe a little longer. But ultimately somebody's going to bring out a product that will obsolete the 188, and the objective in this business is to make sure that you obsolete your own product before somebody else does it. So I see the Z68 as very akin to the ZKSO. It's a terrific first product in the Category, but I think that Category is going to be very competitive fairly quickly, and ward better be doing something--a major step forward, to ramain compatitive.

Yim; That's sort of tronic, because the 2x80 was a \$200 computer, and the ZXSI was a \$100 computer, but with the 288 you have a \$500 computer that people are minking a good deal of soney on, and then you release another product-the 189 for such and such a price. That's going to be a little harder for people to Swallow when the new oroduct comes out.

Nigel: That's always been a tough problem in the computer business, and I just don't know what the answer im. I mean, would we make everybody happier if we don't bring out any new products? Or if we bring them out and charge twice as much for them? I don't see any alternative. The products that are possible and the prices that are possible, are dictated by the underlining technology. And that is evaluable in more or less equal measures to everybody, including ones competitors. If we can bring out a ZX81 that was less expensive than the IXEO, there's a good chance that somebody else would have done it. In fact, Commodore announced a couple of machines in that sort of price range at a Consumer Electronics show one year, didn't bring them out. Probably because they wouldn't have been competitive with the ZXS1. I think that to decide when you buy a product whether you've got its worth what your paying for it now. I mean payed \$2000 for the first VCR. I payed \$999 for one of the first TRS-80 computers from Radio Shack with 4K memory and an integer-only BASIC.

Time How econ do you think enother computer product will be released, given a frame of time?

Nigel: I'm not prepared to say... I really can't say.

Ties I have just a couple more questions. Is there another computer product, not related to portables, coming out, or is the portable-thing consuming all of Clive's time right now?

Nigel: Clive has had an interest for a long time in computer design. And I don't know much about this. But I believe he is still working on, with a long term objective of producing what we would call today, a "super computer", with some degree of parallel processing, large amounts of memory, and probably a Custom processor.

Time A "mini-Gray"?

Nigel: A "mini-Cray". Yeah.

Ties My final question is, overall, working with Clive Sinclair and looking to the future, is it exciting? I mean it must be a lot sore interesting than your everage "paper-shuffling" job?

Nigel: Oh yeah, it's certainly exciting. I suppose the excitement comes from knowing that at any moment along the course or the

almost you could be part of truly explosive growth.

We started Binclair Research in the States to sell the ZX80, and we sold, I forget how many ZX80's altogether, but over a period of a little more than a year, we mold quite a few. Twenty thousand maybe. And in the fall of 1981 we started selling the ZX81, and by the end of the year, we were doing over half a sillion dollars worth of business a week. And we literally went from virtually zero. The ZX80's had stopped selling because the ZX81 had been launched in England, and we got the ZX81 available in the States eventually approved by the FCC and everything. And we just evernits went from a small office employing two people with hardly enough to keep us busy all day, to where we were receiving several hundred orders a day. Running at an annual rate of 25 to 30 million dollars. And yeah (laughs), that's pretty exciting.



Bottle Cap Software

Graphit-1

First in a series of T52068 Information Charting Programs

Personat Monthly Sinclair Gaming usage per month starting with July 1986.

Graphit-1 features.

3 times as many input values as Quadra-Chart.

3-Dimensional bar graphing.

Plot data points with connect points option.

Copies to TS2040, full size printer w/Aerco I/F, or others w/your custom driver.

SAVE SCREEN'S and/or DATA().

Status Menu Driven Program requires Joystick or compatible.

Cassette version easity changed for your disk system. Larken version is available.

All Bottle Cap Software is \$5.00 plus \$1.00 sah. Send checks to:

Bottle Cap Software 1284 Brushwood Ave. Cincinnati, OH 45224 Lenke Software Development publity products for the TS-2068

Join the world of Desktop Publishing with the Pixel Print Professional!

v3.2 Aerco Disk Version

- v3.2 Herco Disk Version v3.3 Cassette Version* v3.4 Atj Microdrive*
- v3.5 Oliger Disk Version*
 v3.6 Larken Disk Version*
- * NOTE: these versions require at least a 32K RRM cartridge for BANK-SUITCHED memory.
- + NOTE: the LARKEN version needs at least a 64K RAM BISK memory expansion.

Lemke Software Development
Plu4 white Dak
Wichita, Ks. 67207

Pixel Print PLUS! \$19.95,

Pixel Print

Professional!....\$29.95 (SEE ABOVE, W/BANK-SWITCHING FOR FULL-PAGE DESIGN/PRINTING)



Masthead Package#2

(30 GREAT, EYE-CATCHING PICS TO REALLY ADD 'CLASS' TO YOUR DESKTOP COLUMNS! JUST LOAD' THEM INTO THE BTP... ADD TEXT)

Masthead Package #2....\$14.95









(32K RAM EXPANSION CARTRIDGE: VOLATILE HEMORY, PLUGS INTO CARTRIDGE DOCK, NOT LIMITED TO USE WITH THE DTP.)


32K RAM Cartridge.....\$44.88

1989 Personal Calendar PLUS!

1303 PETSUNGI Edlender PEUS!
(LOAD INTO ALL VERSIONS OF THE PLUS! AND PROFESSIONAL. AND MORE!)
FAMILY BIRTHDAYS... AND MORE!)
COMES WITH SO CUSTOMIZING HIGH RES. ICONS! CALENDAR COVERS A
14 MONTH PERIOD, JAM '89 THRU FEB '90!)

BODOUNLY \$19.95---

(16 POINT FONTS ARE DONE AND READY TO SHIP! 12 8X16 FONTS ONLY \$14.95, AND 6 16X16 FONTS ALSO ONLY \$14.95) RESE CANALOS



Write to Syd Wyncoop, e/o TIME DESIGNS, 29722 Hult Rd., Coiton, OR 97017. Syd specializes in Timex/Sinclair (1000/1500 and 2068) BASIC, Machine Code, CP/N; and is also experienced in disk operating systems, other computer languages...and NS-DOS(IBM). Even if you are a beginner or an advanced programmer, why not write to Syd? That way, we will all learn something.

- The Editor

The next item you will need is a tape header reader. There have been several published in Timex magazines. This utility will be needed for saving machine code or other binary memory images to disk. It will give you the start address and length of the machine code.

Lastly, there will be a few programs which use fast loaders and headerless files. These will be very difficult to move from tape to disk, as they will require extensive assembly language experience.

I have just purchased a complete LARKEN disk drive system for my 2068 and I am wondering if I made a \$497 mistake. I have read in various Timex Sinclair publications where problems are encountered in converting programs from tape to disk. I have very little programming experience and no one in my area to assist me.

> Dennis Silvastri 256 Lloyd St. New Haven. CT 06513

Dear Dennis.

You have raised two very important points. The first, is the importance of a user group, and the support that group can provide. I urge any readers in the New Haven area to contact Dennis. Without belaboring the point, I cannot stress strongly enough the importance of a support group, even if only a few

members are in the group.

The second point is usually explained in the documentation provided with the disk system. Having said that I must confess that I find most documentation to be weefully lacking.

The LARKEN disk system uses the command.

RANDOMIZE USR 100

This command initializes the disk drive system and is followed by the disk commands. For example, suppose you want to LOAD a BASIC program from disk. The complete command would be:

RANDONIZE USR 100: LOAD "program.b1"

An explanation of the ".bl" can be found in the LARKEN manual. Unfortunately, I do not have a LARKEN system. or a copy of the manual, but I believe this command structure to be correct. I can say that other than supply delays, I have never heard of any problems with LARKEN or their products.

The simplest method to learn disk commands is to make a list. Divide a sheet of paper in half and label one half "tape" and the other half "disk". Now, write a tape command under the heading "tape" and start searching your disk manual for the Start mearching your disk manual for the corresponding disk command. After you have found and tested the proper disk command, write it on the other half, under the heading "disk" and immediately across from the tape command. Continue in this manner until you have determined all the needed commands. Keep this shoet with your disk manual for future reference and add all new commands or their variations to the list, as they are encountered.

I have a 2068, AERCO FD-68 disk drive system, AERCO CPI, AERCO RS-232, CP/M(RPM) and a 2050 modem. Do you know how I can learn to program in Machine Code? I have a copy of HOT-Z. AROS. Do you know if anybody has modified TECH DRAW JR for the AERCO disk system?

> Bill McKelvey Wall, New Jersey

Dear Bill.

You have asked a lot in very few words. Your first question, on Machine Code, is an area that has been taught in TIME DESIGNS, as well as several others. However, the best method to learn Machine Code is to have a task you absolutely must do, a good instruction book and a friend you can ask questions. Then, start the task and do not quit until it is done. I guarantee you will learn Machine Code by the time you complete this process. While this may seem to be a rather stiff answer, I firmly believe it is the best answer.

Machine Code is not so difficult that you cannot learn it, but there is a definite learning hurdle to be overcome. HOT Z.AROS is an excellent tool, but it is difficult to learn to use. I suggest the ZEUS ASSEMBLER for beginners. Zous will permit you to concentrate on the task of learning machine code, without the additional overhead of learning a

complicated program

I assume your question concerning machine code is prompted by your desire to convert TECH DRAW JR to disk. If this is true, you are tackling a difficult first task. TECH DRAW JR can be easily moved to disk, the code address is 30036 and the length is 35400. You have only to change the DASIC tape commands to disk commands. The changes necessary to the BASIC loader, in order to move the program to AERCO disk ares

Line 50, change the LOAD command to CAT "TDRAW.BIN",

Line 9910, change the SAVE command to MOVE "TORAW. BAS",10

Line 9920, change the SAVE command to MOVE "TDRAW. BIN" .30036.35400

TECH DRAW JR is written to work only with taps. However, in order to change that, which I assume to he your real goal, you must disassemble the machine code and find the area that deals with the tape commands. You must then change this area to branch to your disk command routine. I have written to the publisher of TECH DRAW JR. Zebra Systems, in search of this information and will publish any response I receive.

- Syd

I wrote a checkbook program that worked perfectly until the last time I used it, and then something went wrong. I store my entries in DIM-ensioned arrays. To get a print out, I enter the first number to start the list at, and then use a First number to start the list at, and then use a FOR/NEXT loop to do the printing. I have an input line that gets this number from me. Pollowing that line, is one that prints out a sentence followed by the input variable. The last time I tried this, the program broke out with a "variable not found" error message. I do not know what caused this to suddenly happen. happen but whatever it is, it's saved with the program.

> James Brezina Eimhurst, Illinois

Dear Jim,

Your letter is a little too brief for me to make an exact determination, so I will have to guess. It would appear that the variables area of your program has been partially "trashed". This would account for the fact that the problem is SAVEd with the program, as the entire variables area is saved along with the BASIC program. The simplest fix is to go back to the last copy of the program that worked properly and re-enter all data after that copy.

I am assuming that there are no bugs in your program that have caused the difficulty, as you stated that you had used it for a while and it worked Therefore, wall. the solution to your problem most probably is tied to some recent change you made in either the program or a hardware addition. You will need to conduct a thorough search for conflicts that may have caused these changes.

As an example, one of the most common causes of conflict is printer driver software. Check to be sure it is not lOADing over-top of the tail end of the at is not towning over-cop of the tast one of variables area. You could be inadvertently destroying some of your variables upon loading the printer driver software, especially if your dimensions are large and approaching RAMTOP. Have you properly reset RAMTOP? Also, is it a good copy of your driver software? A poor copy may work and appear fine, but could be overwriting the variables area.

The bottom line is that this is one of those elusive problems that can come and go, and be most difficult to track down, A systematic approach beginning from the last known trouble-free point will

eventually find it though.

- Syd

3022000000000000000

BACK AGAIN... FROM A#3#8 #A 30FT

Don't File Your 1988 Tax Return HAUE

The LARGEST SELLING T/S 2068 Income Tax Program in America ******

INCLUDES: Form 1040, 1040A & EZ, 5ch. A, 8 & R * Forms 2106, 2441 Automatic Calculation Income Tax Liability, Child Care Credit Tax-INCLUDES: Form 1040, able Social Security, Earned In-come Cremit *Multiple W-2 & 1099 Entry * 2040 Compatible * More THIS YEAR SCH C and SE Included!

Postpaid \$29.50 ՕՈԼԿ -1st Class Hail-Timex/Sinclair 2068 Computer

QWIK-1040 is an "interview type" program. It will calculate your allowable IRAs, Interest and De-. calculate your Interest and De-ely, without the ductions accurately, without the use of cumbersome input sheets. CALCULATION OF TAX LIABILITY AND CREDITS IS AUTOMATIC!!!

This program was designed with the taxpayer in mind. It is easy for you to accurately prepare your own income tax return EYEN IF YOU HAVE NEVER DONE IT BEFORE! It is also sophisticated enough to be used to prepare returns for others, with or without experience. An ideal teaching tool for tax and accounting students.

SPECIAL: IF YOU PURCHASED 1987 QUIK-1040 FROM A*8*B*A SOFT TAKE A FULL \$10 DISCOUNT.

The 1987 OVIK-1040 is STILL AVAILABLE for Just \$12 POSTPAID.

Send CHECK or MONEY ORDER (U.S. Funds)/Mid-January Shipment Date



HERB BOUERS, 2588 Woodshire Circle Chesapeake, VA 23323 Phone: 804 487-5924

PROMISE LAND ELECTRONICS Dan Elliott, Owner

Servicing COMPUTERIZED electronic equipment

COMPUTERS / MODULES / PRINTERS / MONITORS Sinclair QL TS-2068 TS-1500 TS-1000

16K Ram Pack 2X-81 Memotech Modules

Commodore 64 VIC-20 PLUS-4 C-16

Coleco ADAM TI-99/4A Connodore 128

REPAIRS / UPGRADES / ASSEMBLING / TESTING

Write for prices:

Dan Elliott

Route I, Box 117 Cabool, MO 65689

Ph. (314) 739-1712 evenings, Sunday - Thursday. Ph. (417) 469-4571 weekends. ***********************************

UPDATE!




Supporting the Sinclair QL, 288, and TS-2068 Subscription \$15.00 Year. UPDATE Magazine, 1317 Stratford Ave., Panama City, FL 32404

TS Communique

Joe Williamson

YOUR HARDWARE PROBLEMS EXPLORED





Can the BW-100 Hindware printer be used on the 2068 computer? It was originally used on the TS-1000 printing 16 columns wide.

Andrew Jubb

Dear Andrew.

That sindware printer connected to the TS-1000 in the same way the 2040 printer did and although I haven't tried it on the 2058, I don't see any reason why it wouldn't unless it requires the 9 volts that appears on pin four, bottom side of the rear edge connector and can easily be supplied. Good luck! "Joe

From reading one of your TS Communique replies, 1 gather that you have a Sears TV/Honitor/RCB, as I have. Mine is Hodel C539-i4544, which may be slightly different than the units sold in the USA.

Normaily I use it with my TS2068. However, on occasion I use it with my ZX81. Thats when I encounter a problem. It works perfectly except when I load a program from tape. When I do that the screen rapidly turns black, and stays that way until loading is completed.

I have attempted to cope with the problem by using seperate patch cords in the computer and TV, laying them close together, thus getting a capacitative coupling effect. However, this results in a snowy picture when running the program. Any ideas?

George Chambers Scarborough, Ontario

Dear George,

The Sears monitor has a mute circuit in it that mutes the picture when no sync or improper sync is detected. It is in there to help protect the set from damage. During the LOAD/SAVE operations, the monitor "sees" the black bands as improper sync and mutes the video. You can disable the mute function, but that may cause problems down the road.

The nute also works in video and RGB mode, so if you experiment with connecting your 2068 to work with RGB, and have no picture, it is most likely due to poor sync. ~Joe

How would you construct an interface to drive one of those monitors sold by BG Micro? I'm talking about the type of TTL CRT that would require you to take the NTSC signal from the 2068 and split it out to drive these monitors.

John Shepard Coldwater, MS Dear John,

Until just recently I had always assumed that TTL monitors worked just like RGB monitors but with just one luminance signal instead of three color signals. Vertical and horizontal sync are seperate on TTL monitors and alot of RGB monitors although most have composite sync inputs as well.

I recently had a friend ask me to take a look at his IBM TTL monitor which had a bad fuse in it. After it was back in working order, I decided to see how it would work on my 2068. To make a long story short. It didn't work! Apparently the TTL Honitors operate at a different scan frequency. If anyone has had success at connecting one of these monitors, let us know! "Joe

I recently purchased the Hacksel centronics interface for the 2068 and I am attempting to use it with a Radio Shack DHP 105 printer.

After loading all three codes (LPRINT, COPY, and RI-RES COPY), I can enable various print sizes (bold, elongated, etc.) when using MSCRIPT but have been unable to utilize them in BASIC programs, getting a standard print character regardless of the code sent (using LPRINT CHR ex).

The instruction sheet from RMG Enterprises says that the copy routines will work with an Epson coapatible printer (not mentioned in the advertisement), which I guess the DMP 105 is not as I have been unable to make any screen copies. Each time I do, I get an "Integer out of range" error.

I have seen screen dumps of graphs made on the DMP 105 using a centronics interface so I know the printer is capable of this. Any assistance would be greatly appreciated.

William Haines Schenectady, NY

Dear William,

By far the most popular printer standard is Epson, so most are Epson compatible, although this isn't really saying much as most printers have their own idiosyncrasies anyway. The DMP 105 claims to be IBM compatible and should mean that it is Epson compatible since Epson caters to the IBM market.

I believe that the Radio Shack printers are made by Seikosha and the software should be configured to this brand if that option is available. LPRINT and LLIST should work on just about any printer, Epson compatible or not. The differences come in when graphics are concerned. That is where all the variations exist a think about how long it was before anyone came up with a COPY routine for the Olivetti Inkjet printer;

If you don't have any options in your software, try different software like Zebra's Zprint 80 which does support Seikosha printers. Also when calling for

different type styles from SASIC, most are double byte instructions. To set double width printing, you need to use: LPRINT CHR#(27);CHR#(14); or you could also use: OUT 127.27:OUT 127.14.

When using MSCRIPT, you don't need to load any extra codes as MSCRIPT already has them built into the program. I have had alot of letters about the DMP 105 and the problems associated with them, read on. -Joe

I have an interface problem involving my TS:000 and a Radio Shack DMP 105 printer. When using the Memopak centronics printer interface, the printer does not execute a carriage return when it reaches the end of a line of text. This occurs when using Word Sync II.4, Memocate or just the interface from BASIC using LPRINT.

The computer and printer work fine when using an Aerco CP-ZX interface, and the Memopak interface works fine when using a Gorilla Banana printer.

Refering to the DMP 105 control codes, the printer expects to receive carriage return (13d, ODh) at the end of a line. Perhaps you or one of your readers would know what to poke where to make these work.

Sob Sarnett Fort Myers, FL

Dear Bob,


It has been a long time since I've seen a Memopak but I recall there being dip switches in it to control various functions to the printer. Check and see if there is a linefeed/carriage return suppress switch available. Also, check the printer dip switches and try different configurations with them.

From the samples you sent, it appears that a line feed is being sent with no carriage return. Or, if the printer is bi-directional, something is keeping the print head from printing back the other way but this is not probable. Memotext itself may also have some dip switches you can try. Also try sending from BASIC: LPRINT CHR* (13) which should send a carriage return and line feed each time it is executed. Put that in a FOR-NEXT loop and try changing dip switches until the correct combination is found. This technique is osiled mad-dogging but works better than pulling one's hair out which is what this problem sounds like! "Joe"

The article regarding the non-linearity of the 2040 printer appeared in the Hay/June '85 issue of TDM on page 12.

Here is a sample printout and a listing of the program which produced it. Maybe this information will help Don Balmer to solve his problem. His TV and/or printer may require some experimentation to find the exact correction factors.

Paul Synder Chattanooga, TN



200:PLOT 0,174 DRRU 54,0. DRRU 6.-54 DRAU 6.-54 DRRU 6.54 DRRU 6.5

Dear Paul,

Thanks for finding that for us. That May/June '85 article was written by Dick Wagner of Canby, Oregon and covered several points on graphing different calculated functions. Joan kealy also wrote in and said that Dieg Jefmenko also had an article out which I believe was in Syntax a few years back which is the article I reasuber seeing. I'm surprised Tim didn't reasuber Dick's article of a few years ago! -Joe

Dear Joe,

Guess the 'ol memory is slipping. I've heard that "early senility" is a complication that editors can contract. Meanwhile, Dick Wagner sent in these comments regarding non-linearity of printers. -Tim

Dear Joe.

Concerning Don Balmer's comments about the non-linearity of the TS2040 printer (large printers are not necessarily linear either) in your last TS COMMUNIQUE column, please refer to my article in the Mey/June '65 issue of TDM, entitled "A Graphic Problem for the T/S 2068". Paragraphs four and five comment on this.

My 2040 prints a rectangle taller than wide when I screen draw a square. What I am doing in this article is to multiply the X axis by 1.24 to make it print 24% wider. The COPY command makes this a square on the printer from a rectangle on the screen. For my Panasonic printer, the X axis is wider so I multiply the Y axis dimension by 1.18. Of course, the opposite axis can be divided by the same numbers, depending upon the desired final printed size.

Use the multiplyer in the DRAW part of a program as DRRAW 1.24*80.0 for a longer horizontal line, or DRAW 0.1.18*80 for a vertical line. This won't work for the CIRCLE command, so apply the same approach to the circle formula. Multiply the COSine part of the formula by 1.24 for the 2040 printer, or the SINe part of the formula by 1.16 for the Panasonic printer

To calibrate a printer, print a large square on the screen and then COPY to the printer. Use a metric or decimal scale (preferred) to measure the printed image. The ratio of the larger dimension to the smaller (divide) will give the correction factor.


Keep up the good work on your TS COMMUNIQUE column. It shows that there are still many of us computer buffs who require help.

Dick Wagner Canby, Oregon




GIVE A GIFT SUBSCRIPTION TO TIME DESIGNS





Four order-7 dragons connected by tail-"RELECR"; scale=1, x=128, y=96, THEN 1.2.3.4 for directions.

DRAGON GENERATOR SHREB VERSION



100 IF D:I THEN LET D:N4 110 IF D:N4 THEN LET D=I 120 FOR KSI TO N2 130 LET X=X+X(D1)+X(D) 140 LET /=(+* D1)++(D) 150 IF Y)=0 AND Y:=YM AND X)=0 150 X=XM THEN IF USR HR THEN PU 133 199 6370 'AL 3E3' 195 FEM BETTLES 500 F02 USI TO N 510 LET IP=IP+I 523 IF IP+L THEN LET IP=I 510 LET B\$ 5P+I, #0\$(IP) 940 F02 K#I T0 5P 1 TO SP N2:58+N2 K:=("C" AND +(R AND \$\$(K) = L":

281751000751500 CATCH A DRAGON!

by Gregory C. Harder

In the December 1983 issue of BYTE Magazine an article entitled "A Tiger Neets A Dragon" by Dan Rollins appeared. This article contained a program listing, written for a TRS-80 computer, which plotted "dragon curves" on an IDS PAPER TIGER printer. I have converted the program to plot dragon curves on a TS1000/ZX81 equipped with 8K static RAM, a 16K (or more) RAMpack, and the SCRAM HI*RES EXTENDED BASIC program. However, since there are not too many SHREB epecific lines in the listing, it should be easy to convert to a TS2068, considering the similar resolution and screen formatting

So what is a "dragon curve" anyway? A dragon curve is a regular fractal which forms from an infinitely repeated construction process. To quote from D. Rollins' article: "A method to generate simple low order dragons is to fold and refold a narrow strip of paper Visualize a flat strip of cash register tape. as an order-O dragon curve, Fold it once in the center, and you have an order-1 dragon. Bi-secting the tape by folding it "n" times, always in the same direction will create an order-n dragon curve. Now unfold the tape so that the creases form 90-degree angles. The unfolded tape will have a pattern of left and right turns that wind around in seemingly random directions, a dragon curve."

Luckily, we don't have to understand the mathematics behind the process in order to enjoy the beauty of these curves. Incidentally, the dragon curve got its name from the resemblance some people see to a classic oriental dragon

LOAD your SHREB program into your computer, then delete line two as we will not need the 64 character print routines. Be sure to POKE 18080.208 and POKE 18091,75. Enter Listing 1 and you have the completed dragon curve generator ready to RUN. Enable your SCRAM board before running

The program will ask for several inputs before most of these are selfplotting the dragon, explanatory. SIZE is the order (number of folds) for the dragon curve. DIRECTION-REVERSAL-SEQUENCE is direction of the folds (i.e., left or right). If you choose you can have the dragon automatically centered on the screen, if it will fit.

Once the dragon is finished, you will be taken to a menu of options. These again are selfexplanatory. One interesting option is to run a new dragon without erasing the previous one. This will allow you to connect dragons together and create even more intricate patterns.

If you want to run the program on a T92068, omit IF USR HR THEN sequence, and all references to SLOW and FAST mode. etc. Also, change YM at Line 5070 to 176

> NEXT K LET SP#SP+N2+I HS:F U HS:F U PS:T BN Com MEANS 100 FLA CALLET TO LT
> 110 LET SA SXAY C,
> 120 LET DIEOYAFIC
> 100 IF SAINH THEN LET XLURA
> 110 IF SAINH THEN LET YLUSA
> 150 IF SYIN THEN LET YLUSA
> 150 IF SYIN THEN LET YHUSY
> 150 IF SYIN THEN LET YHUSY
> 150 IF SYIN THEN LET YHUSY
> 150 LET DUCH BS(J, J, R) + (BS) 0 15 0/1 THEN 1 123 IF 0 N4 THE 530 NEXT U 300 F=XT U
>
> 410 LET XL=XL+ H4+5C;
> 430 LET YL=YL+ N4+5C;
> 410 LET YD=YL+ N4+5C;
> 540 LET YD=XH+XL
> 000 LET YD=YH-YL
> 070 3_00
> 330 RET_RN

```
APM LE LIST
IF USR HR THEN RUN
IF USR HR THEN PAUSE XM
FASTURN
RETURN
IF USR VAL "19400" THEN CLS
         995
1000
1010
1020
1030
4995
   SI3Q IMPUT OS
SI4D IF DS=". THEN LET DS=".
SI5D IF DS=". THEN LET DS=".
SI5D IF DS(P)="L" OR DS(P)="R" O
E [S(P)="G" THEN NEXT P
SI7D IF PSLEN DS+1 THEN 9070 VAL
5210"
SI3D CL3
SI3D RSINT "IMPROPER INPUT TRY A
GAIN."
SI3D GOTO VAL "5120"
   GAIN,"
5210 GÓTO VAL "5120"
5210 IF DSC)"G" THEN GOTO VAL "6
520 LET D$#""
5230 FOR J=I TO H
5240 LET PEVAL "INT (RND+.5) '
5250 LET O$#"
RND NOT F)
5250 NAT |
                                                         GÓTO VAL "5120"
IF 0sc>"6" THEN GOTO VAL "5
SEGO LET OSEDS*("L" AND PITTER
SEGO NEXT J
SEGO NEXT J
SEGO NEXT J
SEGO PRINT "DIRECTION-REVERSAL-S
ECVENCE ...OS
SEGO LET LELEN OS
SEGO LET LELEN OS
SEGO LET LELEN OS
SEGO LET SELEN I
SEGO PRINT SEGUE (1 TO 7)
SEGO PRINT SCALE (1 TO 7)
SEGO LET SCEABS SC
SEGO
   5390 CLS
5390 CLS
5400 PRINT "STANDBYE...", "55
5450 LET SP=0
5420 LET IP=0
```

```
5430 PRUSE YH
5440 FRST
5450 GOSUD VAL "BE2"
5470 IF Q$="Y" THEN (
           5479 IF 950"Y" THEN GOTO VAL DE 5479 IF 950" INPUT STARTING X CO
            ORD PRINT X
5495 PRINT X
5505 PRINT X
5505 PRINT
COORP.
$495 PRINT X
$500 PRINT " INDUT STARTING Y
$510 INPUT Y
$516 INPUT Y
$518 PRINT Y
$520 PRINT Y
$520 PRINT Y
$520 PRINT Y
$520 PRINT Y
$530 INPUT $0

$540 IF XCO OR X>XH OR Y<0 OR Y>
YM OR $D (I OR SD)N4 THEN GOTO VA

L "5460" IF XCO OR X>XH OR Y<0 OR Y>
YM OR $D (I OR SD)N4 THEN GOTO VA

5530 LET X (N4) ==I

5500 LET X (N4) ==I

5600 LET Y (INT PI) =I

5600 LET Y (INT PI) =I

5600 LET Y (INT PI) =I

5600 LET X X=0

5640 LET SX=0

5640 LET XH=-I

5650 LET XH=-I

5650 LET XH=-I

5650 LET XH=-I

5670 LET XL=I

5670 LET XH=-I

5670 LET XH=-I

5680 LET YH=-I

5690 LET YU=I

5760 LET XH=-I

5770 FALSE YH

5720 GGSUB VAL "722"

5730 IF YC=YH AND XD (=XH THEN G

0TO VAL "5780" PLOT WONT T FIT.",

OR (N) EU BRAGON."

5750 IF Q$ (>"N" THEN GOTO VAL "5

5750 IF Q$ (>"N" THEN GOTO VAL "5

5760 LET SX=(XH-XD)/N2-XL

5790 LET SX=(XH-XD)/N2-XL

5300 LET X=5X

5710 GOTO VAL "8200"

5780 LET SX=(XH-XD)/N2-XL

5300 LET X=5X

5310 LET Y=5Y

5320 LET D=SD

5330 PRINT , " $LOU OR FRST MODE

5350 LET Y=5Y

5320 LET P=Q$="F"
                                                                                                                                               " INFUT STARTING Y
```

SAGO IF F THEN PRINT , "PEEK AT CURVE BY HOLDING DOWN & KEY." SAJO PRINT , "REVERSED DISPLAY (5880 INPUT Q\$
5890 LET OP=0s="Y"
5900 IF USR HR THEN RUN
5910 IF DP THEN IF USR HR THEN R
AND VAL "31"
5820 IF F THEN PAST
5830 CLS
7000 GOTO VAL "10" 7995 REM TERM 6000 PRISE I

6010 CLS
6010 CLS
6010 CLS
6020 PRINT "EST.",,"1, START N
EW DRAGON","2, SAVE SCREEN","3,
DISPLAY","4, REVERSE DISPLAY',
"5, COPY ","5, STOP "
6030 PRINT ,"5, STOP "
6040 PRINT ","5EQUENCE= ",0\$
6050 PRINT "SCALE= ",SC,TAB 0.,"
DIRECTION= ",5D
DIRECTION= " 8000 IF CODE QS:CODE "1" OR CODE QS:CODE "6" THEN GOTO VAL "8060 BO90 IF Qs()"6" THEN COTO VAL "@ 100"+VAL "122"+(VAL Q\$) 3100 IF USR HR THEN COPY 9110 PAUSE I 9120 GOTO VAL "8060" 8200 CLS 8210 PRINT "ERASE PREVIOUS DRAGO N (Y/N)?" 8200 CLS
8210 PRINT "ERASE PREVIOUS DRAGO
N (Y/N)?"
8220 INDUT Q\$
8230 CLS
8240 IF Q\$:"Y" THEN RUN
8250 CLEAR
8260 GOTO VAL "S010"
83300 PRINT " SAVE NAHE?"
83300 IF USR MR THEN SAVE Q\$.5
8310 PRINT " SAVE NAHE?"
8320 INPUT Q\$
8320 IF USR MR THEN RUN
8410 IF INKEY\$<>>"" THEN GOTO VAL
8410 IF INKEY\$<>"" THEN GOTO VAL
8420 IF INKEY\$<"" THEN GOTO VAL
8420 IF USR MR THEN RUN
8430 GOTO VAL "8110"
8500 IF USR MR THEN RUN
8510 IF USR MR THEN RUN 3520 GOTO VAL "8118" 8708 STOP 9008 SAVE "PRAGONG" 9010 RUN 6000 REH

AFR SOFTWARE®

Presents:

Powerful And Inexpensive **Business Software** For "Timex-Sinclair" Computers

WORD PROCESSING	
T/S-TEXT 2000\$19.9	5
ZX-TEXT mercommon restantion of the beautiful management of the state	5.
SPREADSHEET CALCULATOR	
T/S-CALC 2000	5
ZX-CALC	6
CYCLE ACCOUNTING	
T/S-ZX Financial Report Generator \$29.9	5
T/S-ZX Financial Report Generator	٥
APPOINTMENT SCHEDULER	
T/S-CALENDAR 2000\$19.9	5
ZX-CALENDAR\$19.9	5

Send S.A.S.E. For Free Catalog Or Check Or Money Order To: AF.R.SOFTWARE \$605 Pennsylvas No. 204 nd Boach, FL 33138 (305) 531-6464 TRORIDIANS ADD SALES TAX **Dealer Inquires Invited**



GIFT TIME

How about giving your favorite TS-er a great holiday gift; LARKEN 2068 DISK SYSTEM As our way of saying thank you for your continued support, RMG will sell you a COMPLETE disk system





How about giving your favorite TS-er a great holiday gift:
A LARKEN 2068 DISK SYSTER As our way of saying thank you for your continued support, RHG will sell you a COMPLETE disk system for only:

VICA \$ 175.00!

System Includes 2-3° SSDD drives case/power supply/cable AND the LARKEN LKDOS I/F with s/w WHERE HAVE YOU SEEN SUCH A DEALT System is also compatible with the new Larken RAMDISK. Don't wait!

OFFER ENDS 1/15/88 - POSITIVELY!

RMG ENTERPRISES

1419 1/2 7TH STREET

OREGON CITY, OREGON 97045
503/653-7484 * NDON-10 TUE-SAT (Plus 412 P&H)
System Includes 2-3" SSDD drives AND the LARKEN LKDOS I/F with s/w. WHERE HAVE YOU SEEN SUCH A DEAL? System is also compatible with the new LARKEN RAMDISK. Don't wait! OFFER ENDS 1/15/88 - POSITIVELY!

CATING A FOL PANSTON

by Ed Fry

I was impressed with Ed's Expansion Decoder project when he demonstrated it at the Northwest TS Mini-Fair when he demonstrated it at the Northwest TS Mini-Fair this past summer. It was attached to, and controlled a variety of external gadgets, including a motor driven shaft, and an array of LEDs. With the low cost (going price is about \$10) and plentiful supply of surplus TS1000 and ZX81s, this expansion device just might make an ideal gonstruction project for the winter months. The article appearing in this issue covers all of the necessary schematics, instructions, and theory to mut it forether. In another article (or and theory to put it together; in another article (or erticles), Bd will discuss how to use and put it to work for you. A variety of suggestions have been made: remote controller for a satellite dish, burglar alarm system, weather station, and model railroad applications. In the article Ed offers a parts kit, and be sure to write, if you have any comments or materials. questions.

- Editor

As most faithful Sinclair owners know. gracious Sir Clive did not allow the user access to a fine feature of the Z80 CPU known as IROQ (input/output request).

You could, of course, tie into the keyboard inputs and use an amplified signal to trigger an SCR out of the earphone jack, but that would only allow one bit; it would also use up valuable memory.

The most efficient way to do it on our computer would be to "POKE and PEEK" and "memory map" the I/O out of the range of present ROM or RAM. This is where

the Expansion Decoder comes into play.
We all know that Sinclair cut a lot of corners wherever possible. The Z80 CPU is capable of directly accessing 65.536 (64K) bits of memory. Due to the in-complete memory decoding in the bare ZX61, about 55K of that memory is "images" of the 8K ROM and 1K or 2K RAM. This means that the 8K ROM plus it s images occupy 32K of memory, and the RAM occupies the other 32K. Why??

(NOTE: From this point on, any time you see a proceeded by a "\$", it represents that the pris a HEXADECIMAL number), Now, to repeat f, the 200 CPU is capable of addressing one of number is any 63.536 addresses or bits (\$0000 thru \$FFFP) by placing the bits on the 16 (9-15) address lines "hi" or "low". Decoding is the process of generating a "strobe" whenever a particular address combination

appears on the "Address Bus".

When decoding for memory, a large number of address combinations must be decoded to provide a strobe that activates the memory chip whenever any address in that range is on the bus. Each memory chip has its own internal decoding to select the exact byte is the range of the address to read. This latter stage of decoding in an SK ROM for example, de-termines which of the 8,192 bytes in the ROM is to be sent to the 280. In order to make this selection, the lower 13 address lines must be wired directly to the ROM, and the address strobe, decoded from the remaining three address lines, is wired to the ROM's chip select pin. The chip select requires a low in order to become active.

In a fully decoded system, all three upper address lines (A13, A14 and A15) would go through a decoder, that would provide a low-going strobe to select the ROM when its address range (for example. \$0000 to \$1FFF) is salected. In the ZX61 and TS1000, the 6K ROM is activated anytime the address line \$14 is at a low level, and the 1K/2K RAH is active anytime (thru an inverter chip) A14 is high.

What does this do to address space?? Let's look our three upper address lines (knowing that the first 13 are directly wired to the ROM). Let's let an

"X" = a "I don't care"

"1" - a "high"
"0" - a "low"

	is active when- these combinations	A15~X	A14-0	A13-X
appear-		0	0	0
		0	0	i
		1	0	0
		1	0	1

As you can see, this will activate the SK ROM total of 4 different address locations, or the original plus three images for a total use of 32K of memory space! The same thing happens with our 1K or 2K RAM, except we have either 31 or 15 images respectively. Anyway we look at it, there goes our 64K of memory.

If you would like to prove the existence of those "images", here is a little program you can run, What we will do is look or PEEK at the first byte of ROM and then compare it to the first byte in all the remaining ascending 1K blocks to the end of the 64K. Wherever it matches, it will print that address location on the screen.

10 LET AS=0 20 LET B=PEEK(AS)

30 PAST

40 FOR N=0 TO 65535 STEP 1024

50 IF PEEK M=B THEN PRINT N.

60 BEXT H

70 SLOW

Since rom address starte #0 Assign byte to B to compar You can leave it slow To 64K in 1K steps Making comparison

You know what this does If you want


The following diagram is a representation of the Sinclair Memory Map before and after our Expansion Decoder has been added.

-			MEFFFF-		
4-11	K	16 1K RAM HMAGES		SCUDD-BFFFF IMAGE OF \$4000-\$7FFF	
Sam 1		28K ROM IMAGES	- SCROS -	RYILE SLE SULURLLY Zoo 16 h RAM OF SEN RAM SYSTEM) SEGGG-SBFFF	
2++	6K	IS IKRAM IMAGES	-4-appa-	Available (Usublly ben Rom Poch Drightal IM Diffelo) \$4499 - \$7898	
jer i	LH	1 8KROM IMAGE ORIGINAL 8K ROM	- 1 4440 -	0RIGINAL 8K ROM	A) ZK STROBES THESE 'UNIL BE DUR FOR RODECSSED I/O. PORTS


CONSTRUCTION TIPS

REMEMBER YOU ARE WORKING ON THE BOARD UPSIDE DOWN, SO ALL_NUMBERS, PINOUTS, LAYOUTS, ETC., ARE A MIRROR

- (1) Use a fine steel wool to clean any tarmish off the fuil mide of the P-board.
- (2) Locate and solder all components, connectors, and IC sockets to P-board.
- (3) Solder all +5 volt connections, then solder all ground connections.
- (4) Solder one chip at a time. Example: say you are starting with IC#1-pin #2. You also have a connection to the edge connector-#4a and IC#9-pin #3. Nake all those connections then go back and finish the other connections on IC#1.
- (5) Pick up a wire-wrap tool at Radio Shack, or other electronics supplier. The Radio Shack tool has a little stripping tool inside the barrel of the wrap/unwrap tool. These tools run about \$5.50. Buy some book-up wire to mutch the gage of the stripping tool.
- (6) When making a connection that goes to more than one point you might follow these instructions: We will use the +5 volt run for an example. It has approximately 23 points to connect in the one run!
 - (a) First find all the points to be connected (remember the edge connector or if you build your own supply you will want a connector to the power supply and a con-
 - nection to the +5 volts for the inputs). Find the shortest routs. (you might use the layout
 - cheet and lightly draw the path.)
 Cut a length of wire to follow the route laid out plus (0) about 2 1/2 inches. (We will call this a trace.)
 - (4) Strip about 1 inch of insulation off one end. Heat the solder to the melting tempature at the point you have decided for the start. Immediately stick the end of the wire into the melted solder and remove the the solder iron. Let cool for a couple of seconds and let go of the wire. Give a little tug on wire to make
 - sure of a good solid connection. find the next point. Strip a length of inculation approximate to the distance between the two points of the distance between the two points of the distance between the two points is 1 inch then strip a length of insulation about 1 1/8 inches long.



- (g) Slide this 1 1/8 inch piece of insulation against the solder at the start point. DO NOT CUT THIS "TRACE" UNTIL ALL +5 VOLT POINTS ARE CONNECTED: !!!!
- (h) Find your next point again. Place unsoldered end of 1 1/8 end of insulated wire at the next point (point "A"), es close as possible to the insulation, Repeat step (e).



Repeat steps (h) thru (i) until "trace" is complete. After last point is soldered trim off any extra wire with a razor blade.

(lk) Go to next trace and continue till done.



(1)

- (7) For the TS1000 edge connector you will probably have to start with either a 50 or 100 pin connector and out it to 40 pins. Be sure to buy one that has 100 inch spacing and also that the pine will go thru the holes in the P-board and have enough length to attach the extender card. Inc less than 1/4 inch.)
- (8) The extender [1] You probably will have to make one.
 Here to how. (Here we have a bunch of steps again.)
 (a) You will need a piece of double side copper clad circuit board 2 3/8 inches long, 1 inch wide, and .062 inches thick.
 - Next you will need some drafting tape. .050 wide would be ideal but .062 wide is a standard size.
 - Col The last thing to buy is some circuit board etch colution.
 - (d) Plug the circuit board into the female edge conhector. Wee this as a guide to mark the board for placing the tape. Mark the board BRTVEEN RACH SET OF CONTACT PINCERS, mark both sides without disturbing the board.
 - Remove the board from the connector. Place the tape CENTERED between the marks on the board. Go around the the board for both top and bottom "trace", cut the tape and repeat for the other 44 "traces".
 - Make sure there are no wrinkles or bubbles in any of
 - the pieces of tape. Rix the etch solution and etch according to directions. Check to make sure all exposed areas of copper are removed.
 - Rinse well with warm water. Remove tape, Rinse again well. Dry. Use fine steel wool to clean any residue off board.

PARTS LIST

PARTS LIST FOR MAIN DECOURE AND INC BOARD

101. 104 105 106, 108		109, 1014	7418125 741820 741804 7418175 741802	QUAD IRI-STATE BUFFERS DUAL 4-IEPUT WHED DATES 3-LIBE TO 8-LIES DECODES HEX INVERTER QUAD D-TYPE FLIP-FLOP QUAD 2-INFUT NCC OATES
-----------------------------------	--	-----------	--	---

- 1/4 Vatt 1000 OHKS 1/4 Vatt 270 OHKS 7 14 PIN DIP IC SOCKETS 3 16 PIN DIP IC SOCKETS
- 1 A CINCUIT DID SWITCH
- COMPECTOR POR [EPUT (gen tayt) COMBECTOR FOR OUTPUT (wee text) 46 PIN EDGE CONNECTOR 46 PINGER EXTENDER CARD (see text)
- PERF-BOARD (P-BOARD) RADIO SBACK #276-147 (cut in balf)

MISCRLLAMBOUS

FINE STEEL WOOL ROSIS CORS SOLDER THE STRIPPER
WIRE 25 WATT OR LESS SOLDERING INCE (too high of a mattage
will lift the eqider pade off the F-board)

PARTS LIST FOR IMPUT TEST/DEND CIRCUIT

- (2) 16 PIE DIP SOCKETS (1) 6 CIRCUIT BIP SWITCE
 (1) 8 CIRCUIT 4 7% DIP BETWORK or (8) 1/8 or 1/4 watt 4.7% remissions
 (1) COMESCION TO MATCH COMESCION ON DECODER/PORT IMPUT

PARTS LIST FOR OUTPUT TRET/DEED CIRCUIT

(1) 16 PIE DIP SOCKET (6) RECTARGULER LEDS (any coldin)
(1) CONNECTOR TO MATCH CONNECTOR ON DECODER/PORT GUTPUT

(OPTIONAL) PARTS LIST FOR POVER SUPPLY

115 VAC PRIMARY AND DUAL 19YAC MECOFDARYS TRANSFORMER

- TRANSFORMER 113 VAC PRIMARY AND DUAL 1248C & 7605 65 VOLT REGULATOR (optional but worth 14) BRIGGE RECTIFIERS HISIMAK OF 30 VOLTS & 1 AMP 2300Mf & 25VOC SENCTROLYTIC CAPACITORS 4.7Mf 916VDC TARIALUX CAPACITOR (1)

WITH THE EXCEPTION OF THE TRANSFORMER ALL THE PARTS IN THE LAST THREE LIGIS SHOULD MOUST ON THE OTHER L/2 OF THE RADIO SHACK F-BOARD MENTIONED IN THE DECODER PARTS LIST.

For the purchase of the connectors and IC sockets, I would recommend checking with any surplus stores or suppliers in MODERN ELECTRONICS or other electronic oriented magazines before Radio Shack (Radio Shack is the least expensive source of plated P-board I have found).

The I/O connectors can be of your choice, but I found the 8-pin mip header was the easiest to use. Whatever you use, be sure to get male/female pairs.

You can power the board from the TS supply, but if you want to add much in I/O you will have to be careful. The TS supply will only carry an additional 350ma or so (if you have the 1 amp power pack), much less if you have the old 650ma power pack. Strange things will happen if you overload the power supply. I have included a simple regulated 5 volt power supply and unregulated 12 Volt supply. The 12 Volts may be regulated with a +12 volt regulator and the same basic circuit as the +5 volt supply. (The 12 volts will be used on a later project for the output port. }

To test the power supply, plug in and check voltages. CAUTION: YOU ARE DEALING WITH 110 VOLTS. IT

POTENTIALLY CAN KILL!!

The construction of the two test/demo circuits is the same as the main decoder I/O board. For additional reference I have also included circuit drawings of all the ICs used in the project.

nie nie nie nie nie nie nie nie nie nie

A complete set of "hacker parts" can be obtained from the author (some parts are new and some are used, but ALL are guaranteed good)...less the circuit board and connectors. This includes the test/demo boards, BUT not the optional power supply parts. The price for the parts kit is \$20 + \$1.50 S&H (while supplys last). I will also provide a transformer with dual 12 volt secondaries suitable for the optional power supply for an additional \$2.00 + \$1.50 S&H, if ordered with the main parts kit. Send check or money order to: ED FRY, 7044 N.E. 8th, Portland, QR 97211.

alterate alterate alterate alterate alterate

DO NOT connect the 1000 ohm remistor to ROMCS at this time. Using an chamster or continuity checker, check for shorts between +5 volt contact (1B) and GND (4B and 5B). You should read an open circuit. If anything eise is noted, find out why. You will probably find a small solder bridge between two pins on a socket. Check any point where the 45 volts and ground are adjacent to each other. Check continuity between all adjacent edge connector contacts on both "A" and "B" mides of the board. You should get no readings between any two contacts except ground pins 34 and 35 (if these two pins are not tied together, do so now,

they HAVE to be tied together).

AT NO TIME SHOULD YOU PLUG OR UNPLUG THE BOARD FROM THE EDGE CONNECTOR WITH THE POWER ON. Plug the bord into the TS connector. The board should NOT have any ICs in any sockete yet!! Turn on the power. You should have a cursor immediately. If not, unplug the power and look for the short. When you get the

cursor, remove the board.

cursor, remove the Board.

Now you can connect the 1000 ohm resistor to ROMCS, insert IC3 (74LS20), IC4 (74LS138), and IC5 (74LS04). Plug the board back in. You should again immediately get the cursor. If not, check for solder bridges on one of the three IC mockets you just installed. Correct the problem (also be sure that you have all the ICs installed correctly and not oriented backwards). Now you can run the "ROM IMAGE" program at the beginning of this article again, You should only have a "0" on the screen. If you do not get a "0" then you probably have an IC incorrectly should only have a "0" on the screen. If you do not get a "0" then you probably have an IC incorrectly wired. Correct the problem. When you can run the program and come up with "0" then continue. (No images means the decoder is working.) Next insert IC1 and IC2 (74LS125), IC6 and IC7 (74LS175), and IC8 (74LS04). Plug the board in again, if no cursor, remove and check the sockets of the IC8 last installed for solder bridges. When you have the problem corrected, insert the last two ICs, IC9 and IC10 (74LS125). Go thru the check procedure again. When all the ICs are inserted and cursor comes on properly, the board is complete. Run the 'ROM IMAGE" program one more time, make sure of the "O" readout and we will go to the I/O test/demo.

OUTPUT PORT TEST/DEMO

We are going to discuss just a little bit about binary numbers (if you need more info, you should be able to get a book at the library). First, the largest number in decimal that we can express with an 8-digit binary number is 255 (i.e., lillilli). The smallest is 0 (i.e., 00000000). Just as decimal deals in powers of 10 (i.e., l. 10, 100, 10000, etc.), hinary deals with powers of 2 (i.e., l. 2, 4, 8, 16, etc.). Since we will only be dealing with 8 digits of binary. I will stop at the 8th power (128). A grid chart is provided to further the discussion.

			ţ=		- }		t	- {		i -					-:
			-						16	-			2		
DECI	CLL		7		- 1					1	- 10-10-10-10-1				-1
1	L	=	:	0		0	_					0			
1	35	•	2	1.	1	0 :	9	Ì	. 0	1		1	1	1	1
			7 **		٠;	;		-1		: -	*****	-	-		-1
1	16	•	à.	•	1	•	•			•			_	1 1	- 1
			₹÷		٠,		[-1		1 -	raman water 🖠				-:
2	54		t	1	1	1		Į			1 1			1 0	-1
				**********	ţ			-1		1 -			-		
1	24	=	Ļ		ŧ		Z.	1	1	ı	1			1	
			3 -		٠¢		t	-1		1-					mt.

To convert a decimal to a binary number, select the decimal number, in this case 124. Start with the eighth of the powers of 2 columns (i.e., 128). 128 will not subtract from 124 (we are only using positive numbers), so we place a "0" in the 128 column, 64 will subtract from 124, so we will place a "1" in the 64 column. 124-64-60 right. We will always work with the remainder. 32 will subtract from 60 so put a "1" in the 32 column. 60-32-26. 16 will subtract from 28, a "1" goes in th 16 column, 28-16-12. 8 will subtract from 12. a "1" in the 8 column. 12-8-4. 4 will subtract from 4, a "1" in the 4 column. 4-4-0, that means all the rest get a "0". Our 8 digit binary number for decimal 124 will look like this: "011111100". Lets try another like 174. Work it out by yourself. The answer should be "101011110" binary. Easy...right?!

binary, Easy...right?!

Now lets go the other way; that is, to convert binary to decimal, Take an 8 digit binary number "00100001". Take only the columns that have a "1" and add the powers of 2 up. "00100001" the 1 column has a "1" and the 32 column has a "1", so 32+1-33. Lets do another..."10101011". The 1 has a "1", 2 has a "1", 8 has a "1", 32 has a "1", and 120 has a "1", so 1+2+8+32+128=171. Try this one: "01100110". If your answer is 102, then you've got it down, if not, work with your grid until you do get it.

Now, the reason for all of this, is that your

Now, the reason for all of this, is that your I/O ports are a representation of an 6 digit binary number. To work with them you will have to understand at least this much about binary numbers. OK..lets go!

Plug your demo/test board output circuitry into the output port. Be sure you have the two wire jumper for +5 voits and GND plugged in. (Note: If you are using your own supply you MUST NOT connect the TS +5 voit and your own +5 voit supplies together. You MUST connect the GNDs together).

The four address ranges of your ports in decimal and in (shex) are:

	DECIMAL/(SHEX)	TO	DECIMAL/(SHEX)
PORT #1	8192/(\$2000)		10239/(\$27PF)
PORT #2	10240/(\$2800)		12287/(\$2FFF)
PORT #3	12288/(\$3000)		14335/(\$37FF)
PORT #4	14336/(\$3800)		16383/(\$3FFF)

Pick the port you want to use, then pick an address in the port range, that is easy for you to remember. I'use 10000 for port #1, 12222 for port #2, 13333 for port #3, and 14444 for port #4. You have 2047 addresses in each range to choose from.

Lets go ahead and use Fort #1 for our demo port. If you want to use another, go for it, but remember to change the addressed POKES and PEEKS to match the port chosen.

If you have everything booked up, turn the power on. You might have one or more random LEDs on, but that's ok. First enter POKE 10000,0. That should turn all the LEDs off. Next enter POKE 10000,255 that should turn all the LEDs on. Next lets make a little program:

10 IMPUT X 20 POKE 10000,X 30 GOTO 10

Lets input 3 first. LEDs 1 and 2 should turn on (remember we are going from right to left, not left to right), all others should be off. Now try 8. Number 4 should be on, and all others should be off. If you get anything else, then you probably have your data lines mixed up. Data lines are DO thru D7. To check, POKE 1, 2, 4, 8, 16, 32, 64, and 128 in sequence. Note the order that the LEDs turn on. Remove the board and rearrange the wiring to the output port connector properly. Plug th board back in and rerun the program and the sequence of the powers of 2. You will notice that the LEDs look just like an 8 digit binary number, with "LED on" representing "1" and "LED off" representing "0". After you get the sequence right, lets run enother little program:

10 POKE 10000,0 20 PAUSE 30 40 LET A=1 50 FOR H=1 TO 7 60 POKE 10000,A 70 LET A=A*2 80 PAUSE 5 90 NEXT K 100 LET A=128 110 POR H=1 TO 7 120 POKE 10000,A 130 LET A=A/2 140 PAUSE 5 150 MEXT K 160 GOTO 40

If you want to decrease the speed increase the pause. To increase the speed, decrease the pause. For the maximum speed without machine code, add the line:


5 PAST

Now for the input test/demo. Lets use the same port. When I PEEK an address, I always use the first address in port range. For Port #1 that would be \$192 decimal. Hook a cable from the decoder/port board input connector to the test/demo board input connector. Turn all the switches "off", then enter PRINT PEEK \$192. The display should read "255". Now turn all the switches "on". The display should read "0". If you do not get these results, then run this program:

10 SCROLL 20 PAUSE 30 30 PRINT PREE 8192 40 GOTO 10

Now set the sequence of powers of 2 using the switches. If you noticed a switch "off" = "1", and a switch "on" = "0", run the program. Turn all the switches "on". The display should be scrolling a "0". Turn switch i "off" and leave all others on. The display should now scroll a "1". Turn i back "on" and turn only 2 "off". A "2" should appear. Turn 2 back "on" and turn only 3 "off". Continue thru the sequence of turning all the switches "on" and turning one switch back "off" in order, from right to left, you should get increasing powers of 2 displayed on the screen. The power of 2 displayed should match the switch that is "off" (i.e., switch 5 "off" should display "16", switch 8 "off" would display "128", setc.).


Again note the sequence. If it is mixed up, unplug the decoder port board and rearrange the wiring properly to the input connector on the decoder





- 10 POKE 12222,0
- 20 PAUSE 30
- 30 LET A=PEEK 10240
- 40 POKE 12222, A
- 50 GOTO 30


Now you will note that for any switch that is "off" on the input port, there will be the corresponding LED "on" for the output port,


These programs and demo. should give you something to play with until the next issue of TIME DESIGNS, when we will explore different types of output driver cards and applications. Have Fun!














ZX81 TIC-TAC-TOE

Copyright (c) 1983 Albert F. Rodriquez

PROFILE

\$12.00 in cossette (domestic) Price:

\$14.00 (foreign) With documentation

For: ZX81, TS1000, TS1500 ROM/RAM: 8K/16K Written In: Sincloir BASIC

Program Ustable: No

Listings Available:

Yes, \$6.20 (domestic)/\$7.20 (foreign) with documentation

Syntactic Sum: 433, 255

This program was written to be both entertaining and educational to its user.

There are about 457 variations of this game that can be played, given how the program is written.

The computer plays an optimal game, It goes for a win when it can or it attempts to prevent from losing by yielding a draw. The challenge for the player is, of course, in trying to beat the computer or in not letting It beat him/her by forcing a draw.

The player is always allowed the first move; thereby, giving him/her five moves versus the four moves allowed the computer. The player and computer are preassigned the characters "O" and "X"; respectively, in inverse video.

The program is self-running. Within the program are instructions for exiting and re-entering the game (e.g., to exit press BREAK during execution; to enter key in GOTO 7). Never should the player enter either RUN or CLEAR; for this will crose all data pre-programmed into the variable store. If this should occur, reloading the program from cassette is necessary.

There are three distinct features of this program that make it very "user-friendly".

first, if the player makes a move with any type of data other than the single numbers 1 through 9, he/she will receive a prompt message that says: FALSE MOVE: TRY AGAIN.

Second, if during the course of a particular game a player makes a move already taken by either himself/ herself or the computer, then, a prompt message will appear that saus: REPERT: TRY AGAIN.

Both of the above prompts appear for about two seconds, self-erase and then allow for a new move to be entered.

Third, in the event that the game ends either in a WIN or a DRAW, a prompt message is displayed informing the player of either outcome. In the case of a WIN an extra nicety is added: a thick, black line gossing through the row, column or diagonal in which three characters of the same kind appear.

When a game comes to an end the final outcome is displayed for about fifteen seconds, then the program loops back to the beginning and sets itself up for a new game.

Listings of the program are available for a sald price. but without the necessary data pre-incorporated into the variable store it is non-functional. There is certain information that was put into the program via the immediate, input mode which is essential for the proper execution of this program.

A complete listing of the program, its arrays/variables and their respective values are for sale and may be bought for a very reasonable price. Along with this information the buver will receive detailed documentation about how this program was made as a precise and interesting computer game that is fun to play and, hopefully, a worthwhile tutorial in computer programming.

If bought in cassette the above documentation comes with it, but the program is not listable on the screen. This was done to prevent any "bugs" from sneaking into the program inadvertantly that might cause the program not to execute properly. Thereby, this should allow the buyer to have full satisfaction about what he/she is buying for his/her money.

R.F.R. SOFTWARE

1605 Pennsulvania Ave./No. 204 Miami Beach, Ft. 33139 U.S.A. (305) 531-6464

floridians add Sales Tax

Dealer Inquiries Welcome

L-2 (c) 7/86

- 1-	-800-5	962-19	88
	EXT.	122	
24	HOUR	DRDER	LINE.

TIMEX/SINCLAIR SPECIALS

WMJ DATA SYSTEMS SUPPORTING T/S SINCE 1983

ALPHACOM	32	PR1	NTER
(#ALPHA)		35.	00

ORIGINALLY SOLD FOR \$89.95. THIS PRINTER IS 100% COMPATIBLE WITH THE ZX81, T81000, T81500 AND T82068. ONE ROLL OF THERMAL PAPER SUPPLIED. EXTRA PAPER 3 ROLLS/\$6.00 (\$THERM)

PRO/FILE 2068

T82068 (#T82PF) #19.95 THIS PROGRAM WRITTEN BY THOMAS WOODS IS ONE OF THE MOST USEFUL PROGRAMS YOU WILL EVER OWN. PRO/FILE 2068 LETS YOU MAINTAIN INFORMATION IN ANY FORM YOU DESIRE. YOU CAN DO MULTI-WORD SEARCHES AND HAVE THE FILES ON THE SCREEN OR PRINTED OUT IN A MATTER OF SECONDS. THE BEST PART OF THE PRO/FILE 2068 IS PROBABLY THE 144 PAGE MANUAL WHICH EXPLAINS THE MANY USES OF PRO/FILE 2068 AS WELL AS THE PROGRAMMING BEHIND IT. WORKS ON THE TS2068 AND CAN BE USED WITH ANY PRINTER.

ZX PRO/FILE

T\$1000 (#T\$1PF) \$16.95
A MACHINE LANGUAGE INFORMATION
STORAGE AND RETRIEVAL TOOL FOR 16K
TO 64K. WRITTEN BY THOMAS WOODS.
MULTI-WORD SEARCH CAPABILITY,
INSTANT FILE ACCESS, ORDERED
DISPLAYS, DEFINABLE PRINTOUTS, FLEX.
FILE SIZE, 59 PAGE TUTORIAL MANUAL.
THIS IS THE FINEST DATA BASE PROBRAM
WRITTEN FOR THE T\$1000, T\$1500, AND
SINCLAIR ZX81.

ACZ GENERAL LEDGER T81000 (#ACZ1) \$16.95 T82068 (#ACZ2) \$19.95

TS2068 (#ACZ2) \$19.95
AN ACCOUNTING SYSTEM DESIGNED FOR
THE SMALL BUSINESS. THE ACZ GENERAL
LEDGER IS FLEXIBLY DESIGNED SO THE
REPORTS FIT YOUR BUSINESS. INCLUDES
A COMPREHENSIVE MANUAL THAT WILL
HAVE YOUR BOOKS COMPUTERIZED IN A
SHORT TIME. THE ACZ GENERAL LEDGER
IS DESIGNED FOR USE WITH THE TS2040
OR ALPHACOM 32 PRINTER.

1-800-962-1989 EXT. 122

T81000 SPECIALS

ITEM # TS1FAST		
TSIFAST	ZXLR8 FASTLOAD *	10.95
TS1FOR	FORTY NINER GAME	6.00
TSIROC	ROCKET MAN GAME	6.00
TS1ZXT	Z-XTRICATOR GAME	6.00
T81KEY	NEW KEY & UTILITY	6.00
VARIOUS	TIMEX BRAND TITLES ONLY	3.00
CCALL	516-543-5252 FOR SELECTI	ממם

TS2068 SPECIALS

ITEM #		
TX200	CRAZY BUG	3.00
TX202	HOME IMPROVEMENT PLNR	3.00
TX208	CASINO I	3.00
TX210	SPELLING II	3.00
TX203	CIRCUIT BCRAMBLER GAME	3.00
TX201	SPELLING I	3.00
TX205	STATES & CAPITALS	3.00
TX209	BUDGETER	3.00
TX211	WORD PLAY II	3.00
TS2DEN	DEALER'S POKER DEN	12.95
TS2FP	FIGHTER PILOT	12.95
TS2NG	NIGHT GUNNER	9.95
TS2TOM	TOMAHAWK	12,95

BOOKS AND ACCESSORIES

ITEM #		
TSPOW	POWERFUL PROJECTS	\$ 4.00
T82BIG	T82068 BEG/INT GUIDE	4.00
TS2IAG	TS2068 INT/ADV GUIDE	4.00
1420	EPYX 500XJ JOYSTICK	15.40

WINKY BOARD 2000 (#TSWINKY) \$19.95

SOLVES MOST LOADING PROBLEMS, ENABLES YOU TO LOAD DIFFICULT TAPES WITH EASE DUPLICATES TS/ZX CASSETTE TAPES FOR BACK-UP COPY. SAVE/DUPLICATE AT THE SAME TIME USING 2 RECORDERS. WORKS WITH TS1000/1500, ZX81, SPECTRUM, TS2068

GENERAL 1-800-962-1988 EXT. 122 ORDERS ONLY.
SO THE PLEASE USE ITEM # WHEN ORDERING.
INCLUDES MASTERCARD * VISA * COD ORDERS
WILL ADD \$3.00 SHIPPING IN U.S.
IN A ADD \$8.00 SHIPPING IN CANADA, MEXICO NO DELAY ON CHECKS.
T82040 CALL 516-543-5252 1PM-5PM MON-FRI FOR ORDERS AND QUESTIONS.
MAIL ORDERS TO:

WMJ DATA SYSTEMS-TD 4 BUTTERFLY DRIVE HAUPPAUGE, NY 11788

FIRST CLASS FONTS II


Reviewed by D. Hutchinson

A lot of nice words have been written about BYTE POWER and their software(magazine) on cassette tape for the Timex Sinclair 2068 computer. BYTE POWER is actually two brothers, Eric and Kristian Boizvert, who reside near Toronto, Ontario. If the Timex computer were still produced today, these gents would be very rich. Now, at best, every faithful 2068 user who has stuck it out should be buying their software. It's that good.

When the BYTE POWER duo started out a few years they announced that their cassette magazine "published" on a monthly basis. Considering would be that each tape contained at least ten good programs, this monthly goal seemed to be a monumental task. I remember at the time thinking, "how are they going to do this?". There just isn't enough hours in a day throw that much code! Well, they did manage to keep it up for a while, then deadlines began to slip.

Currently, BYTE POWER has gone to a quarterly format. I applaud this move for a couple of reasons. First of all, it will take the unrealistic deadline pressure off. A direct result of this has been noticeable improvements in the programs. Each "issue" gets better and better. And another result has allowed the programming team to develop larger full blown individual software packages outside of the regular cassette magazine. 1st CLASS FONTS II is one of these new programs.


Figure 1. Actual Screens from 1st Class Fonts II



ŗ







When Tim (Editor of TDM) sent me a copy of let S FONTS II in the mail for review, I knew right that I was in for a treat. The software comes packaged in a vinyl album. There are two cassette tapes and a professionally printed user guide, which is quite clear and "to the point"... a rare commodity in the TS market. Actually (and the manual encourages it), documentation isn't really needed to get started with this program. Ideally, a program should stand alone without ever having to crack a manual. This is my "acid test" for any program that claims to be "user friendly". FONTS has come very close to achieving this, thanks to an operating system that is frequently seen in other BYTE POWER programs...sort of a "trademark" (more on this in a minute).

1st CLASS FONTS II's main program has three parts: 1. A library of "fonts" (or type basic parts: atyles). 28 different fonts are included in the main program. 2. A simple word processor ("what-you-see-is-what-you-get" type). 3. A "Definer", that allows the user to modify or change any character within one

of the font sets.

To move around the program, a joystick is highly recommended by this reviewer, although using the keyboard is acceptable. If you haven't used one of the BYTE POWER programs that have similar "pop-down" menus as the FONTS package does, you may miss out on witnessing how powerful your 2068 can be. It works just like a mouse does on (gulp) the more expensive MACINTOSH computer, A little arrow icon is moved around the screen, and when the arrow is placed over a box or any command line, that box or line is highlighted by another color, and when the fire button is pressed, it automatically executes the function. menu box is superimposed over the previous another menu. It's fast and smooth. Folk's this is as close as your 2068 will get to a MAC!

as your 2068 will get to a MAC:

How do you use FONTS? Two ways actually. One quick way is via the built-in wordprocessor which allows the user to switch styles and experiment with several within the text workspace, and then print out with the TS-2040 printer. The other way, is to use a font character set within one of your own programs. This is the one time the user manual will need to be consulted, as it shows how to POKE the new character

set's address in memory.

On the other cassette that is supplied, there is a 64 column print utility, a double-height print utility, a giant "Old English" font, and a scrolling

font demonstration program.

There are some features that I feel should have been included in FONTS. First of all, the program is "unlistable", and for the average 2068 user, it is unbreakable". This is unfortunate, as I was unable to modify the LOAD and SAVE routines for my disk drive system. I also felt that a full-size printer driver should have been included in the wordprocessor for the AERCO printer interface. Many 2068 users no longer make use of the 2040 thermal printer. My final suggestion is only a minor one. It would have been nice to LOAD another whole library of 28 fonts into the main program. Only single font sets can be loaded in one at a time, replacing current ones.
Setting aside minor quibblings,

I liked this software package. It represents fine value, with all of the extra trimmings that are included. Why not add it to your 2068 collection? It just might be what your looking for to "dress up" your text and your

I should also mention that FONTS will run on a Spectrum, and it is also reported that font sets in this package will work with PIXEL PRINT (Stan Lemka). but I haven't personally tested this.
PRICE: \$19.95 + \$3 S/H. FROM: Byte Power, 1748

Meadowview Ave., Pickering. Ontario, Canada, L1V-398.

2058 GRAPHIC GOODIE:

Stan Lemke

Here are a couple of little GRAPHIC GOODIES that won't take hours to type is, but demonstrate some neat graphic capbilities on the T32068! ELINK uses the 2068's dual display mode to switch quickly between two pictures to make it appear as if part of the picture is blinking. The PAUSE in Line 800 varies as the counter "I" changes...so the drawing blinks slowly at first, and then speeds up. The length of the BEEP also changes to augment the effect. Just type it in. SAVE with RUN 900, and start the program with RUN(ENTER).

BOUNCE is a little simpler. The idea here is to place a picture on the screen, and have it move smoothly left/right a pixel at a time, creating the appearance of bouncing back and forth. Type the program in,

SAVE with RUN 850, and start it with RUN(ENTER).



BLINK

'Graphics Goodles"

O by 50 to Differ 1900

Lemke Software Dise orprived

2144 white fak

Wichita Ks. 07207

1077 FRIST FOT 110 TT R 1174 C 210 PLUT 50, 110 TT R 1174 C 10, -100 ERRA -114, C CFHW 0, 1

> (CKTYPE REPORT)> CANDAGE CONTROL PROPERTY OF THE CONTROL PROPERTY OF TH

-00 REM ******************

SOUNCE

"Graphics goodies"
C List D Lerie 1933
Lemke Software Development
R144 Jhite Oat
Uichita Ks. 67207

÷		6 4		۵	÷	÷	4	Ą.	1	14		ş	÷	+	4	ł	ş.	+ -	£ 4	Ą	÷	9	à .	. 1	4	4.	÷
6117	19	3	2000	E - 15	3	0	3	200		3 200	Dir. 10	COCO 4	550	36.	3	76.	1 12 1	1	3	1+10 1)	2 1 5	50110	13.5	7	2.4	63 -57.18	3000
4 7	G !	2000	31	F	A F F	D G	d .		2		1.	-	1	-		3										D	-
1 1	,,,		000		II.		1 - 1	T		3,				1	f . 1	[]	4	-	٠.	5.1	7 4	01	þ.	,	,	1	-
7 7 7	1 2	17 61	12300	471 71 71	4. 7 4 71 1	1 インサード	F F F F F		20 20 20	1 3 5 5 1	7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7		21713	16,54 64	13 gr 10	T 60 Th. 7	10 2 4	うたの言	7 3 17	10 10	4 7 5 5 7 19	7 1 3 11 1	1, 1, 1, L.	3 5 5	3.	mprocesse or	C 10 10 10 17
181	P BITO1	5 4	010	TOTAL TOTAL		1 0	DO TOT	SED E	7 ST7	2 5 2	200	The state of the s	- Mary 1991		L. 4.70.7	4 4 2 2	13 H	. 2.	2	40 P P P P P P P P P P P P P P P P P P P		1 000	É.	344	51 64 61	1 12 12	THE E E S HOLD THE PARTY
The Later	2 6	371	DARRIDA.	E X X E	T	A ARIVE TO THE	N	SAL LIN	DACK!	1 T C	P	1		2011	1 T 100	T	E OH	I TITE	News	001	2 P. C. A. L.	1000HT	N) III PI	E4011-0	CD 4	J # 40 4 4	P 0510
	3	3	10		3	-	=																				

<i>2</i> (CKTYPE	PEPOR	T >>
1144 JOSA 4 1 5 667 7 8 2	Albertananno desaga eta e Documentanan desaga eta eta e	1 4	17 41574611117145555 5549121117145555 554912117145555

BINGHAM'S BEST + / COLECTION OM JESSETTE 45 11:75 PAUL BENGHAM PO Box 2034 Mess AZ 86314 orchal 64 . # 646,0N13345638

NEW SOFTWARE FOR YOUR TS2068

(Supplied On Connettie) XEMIT (9 K): BATTLESTAR

Defend the fleet against suicide attack fighters of the Densbola Systemi Nine levels of play where skill & tactice determine success and survival. User Defined Graphics with special color & sound effects in a fast-action arenal

START-REK(16K):

Face a conglomeration from the series, films, books with UDG's & sound effects. YOU are the Captain as The Ship is confronted with The Captain as the sing is controlled various scenarios which you must resolve. Ten Screens; Seven Levels of play; No two sessions alike! Use the 'Kirk Alternative' as you command Phasors, Photon Torpedoes, as you come Impulse Power, Sheilds, etc.

SEND \$9 FOR EACH TO: VP HOSEY-BOX 135-RED ROCK . TX . 78662

PAUL BINGHAM EVALUATES THE Z88

IS THE NEW COMPUTER TOO MUCH OF A BREAK FROM TRADITION?

Some grumbling as to whether the new Z68 laptop computer should be included in the "Sinclair family" have fallen on my ears and perhaps yours. It has a new operating system, including of all things, BBC BASIC, and it does not load ZX81, 2068 or QL software. So has Sir Clive invented too much of a maverick? a look backward may be the best way to answer this.

As a card-carrying pack rat I am privy to something many are denied: history. In perusing through all the old SYNC, E. Arthur Brown catalogs, and other innumerable goodies I have hung on to all these years, I was able to see Sinclair's U.S. history. I thumbed through all the old ads from 1983 and found just what was being offered for the ZX81 and TS1000. 64K add-ons were hot. A system called "Basicare" even offered a bank-switching add-on and 64K modules for up to 1 Megabyte (Mb) of RAM (for big bucks). Hemotech had some software on EPROM: just plug in and go! But the hottest upgrades were KEYBOARDS. I've charted average prices on peripherals for each machine (within the first six months of release for most things) in Figure B.

As 1984 began, so did the excitement over the new arrival: Sir Clive's Spectrum reworked and expanded as the TS2068. And just as everyone was ordering their

unit from Sears, Timex threw in the towel Ever wonder what would have happened if they had stuck by it? After all, the Spectrum with 128K and a built-in disk drive is still in production and selling in merry old England. Well, Sinclair users circled the wagons. Third-party producers kept giving us the peripherals we needed And in late 1985, after months of rumors, the QL was unveiled. But it wasn't really a grown up Spectrum: it was something brand new. We bought them hare, but not like they did in Europe. Then the flat-screen TV and electric car bills caught up with Uncle Clive. And in the Summer of 1986, he saved the family by selling the farm. The new owner said, "Spectrum: yes, QL: no."

Now, after three years since the OL was released Sinclair's team (renamed "Cambridge" after the place they've always been) show us what they've been working on: the Z88. But the remaining Sinclair users are older and wiser now. Some healthy skepticism requires we take a careful look before we buy. Upon close examination we find some interestingly familiar Sinclair touches. The unit is small, definitely from up Sir Clive's alley. After calculators, watches, ZX80s and 81s, he's back to home turf. And this time there's actually a category in

(716) 834-1716

T & C SERVICES 20 LIBERTY TERRACE BUFFALO, N.Y. 14215

Call or write for a free catalog of products for the Timex Computer

BYTE: ROWER

STCLASSMAGAZINE

BYTE POWER IS A HIGHLY SOPHISTICATED COMPUTERIZED HAGAZINE ON CASSETTE FOR THE TS2068 AND SINCLAIR SPECTRUM 48K.

NO LONGER HILL YOU HAVE TO TYPE IN LONG, FASTIDIOUS PROGRAMS... JUST LOAD AND RUN!

BYTE POWER IS THE ULTIMATE MAGAZINE, OVER 110 PROGRAMS HERE PUBLISHED UP TO NOW. MOST OF THESE ARE IN FAST MACHINE CODE! AND HE BRING YOU THIS QUALITY PROGRAMMING AT A VERY SMALL COST:

1st CLASS PACK (6 ISSUES IN ALBUM).. \$37.00+\$3 S/H

ISSUES AVAILABLE...(AS OF JULY 1988)

Aug 86, Sept 86, Oct 86, Nov 86, Dec/Jan 87, Feb 87, Spring 87, Fall 87, Feb 88, May 88.

ALSO AVAILABLE FROM BYTE PÜHER...

BYTE POWER 1st CLASS FONTS II...\$19.95 BYTE POWER 1st CLASS PROGRAMS (ZXB1)...\$9.95 THE D.U.S. V2.0 (For LNEOS CART.)...\$29.95 2+FAST (FAST LOAD FOR TS2068)...\$19.95

PLEASE ADD \$3.00 PER SOFTHARE FOR SHIPPING.

ALL PRICES IN U.S. FUNDS ONLY PLEASE.

BYTE POWER Hagazine ** JUST LOAD AND HUN!

Yes, A FAST LOAD FOR THE TS2068!

IT WILL LOAD BASIC, CODES AND ARRAYS UP TO 2.5 TIMES FASTER!

VERY EASY TO USE!

Features 3 Hopes:

SPEED 2 (#2) SPEED 3 (#2.5)

COMES IN A HIGH QUALITY VINYL ALBUM WITH SUPERB MANUAL,

\$19.95 (US) + \$3.00 S/H

FOR DETAILED INFORMATION ABOUT ANY OF OUR PRODUCTS PLEASE SEND \$3 (US) FOR OUR COMPLETE DEMO/CATALOG PACKAGE.



(716) 834-1716



computerdom for his latest invention called "laptops". It is distinctively Sinclair black. It has a water-resistant keyboard, too. All the keys are normal enough but each is connected underneath by a rubber membrane to repel fluids. Is there a Serial Port? You bet. And a rear edge connector? Yes, but it is on the side this time. Is there an on/off switch? Well, no switch, but pressing both SHIFT keys at the same time turns it on. Figure A details more Sinclair machine comparisons.

The Z98 has sound, but harking back to the days of the ZX81 and TS1000, there are only four chips. One is a whopping 128K ROM chip that holds the operating system and five built-in programs. Another is the 32K RAM which would have made TS1000 owners droot, but is limiting now as their 2K RAM was back then. The user easily upgrade this computer to an amazing 3Mbs providing he can afford it (for more on that see Figure The third chip is a custom gate array made by NEC. But the fourth and final chip is what really proves Sir Clive came home: the Z80 CPU. All of his computers have had a Z80 with the exception of the ΩL (which implemented the fundamentally different 68000 CPU chip). The Z80 is the "Cadillac" among 8-bit CPUs. This Z80 is a special CMOS type, meaning it is very low power consumptive, but otherwise uses the same machine code all Sinclair hackers are accustomed to. The Z88 even has a built-in assembler for us! And somehow Sir Clive has managed to make the four chip Z88 computer plenty fast. I've been impressed by its speed and also its ability to jump mid-stream from one program to another, call up menus with a key press and then return without a hitch. The Z88 does act in some ways like

The Z89 has many of the good features from his And it has a few new surprises as previous machines. well. The built-in (no-need-to-load) programs are very good. The word processor trounces the QUILL program the QL came with. And as a previously dedicated "Day-Timer" deily schedule book user, I am particularly pleased with the calendar feature. It will automatically transfer today's task to tomorrow's list of things to do if you haven't completed it. The choice to what amounts to RAM disk technology instead of floppies or microdrives for storage will raise some eyebrows. But certainly a whole range of disk and even cassette based storage options are coming. The Z88 will change the way we think about programs. No LOADing or long SAVEs are required. Software plugs in instantly, and programs we are working on will stay unharmed in the machine for a year. With an EPROM burner built in to every machine, every user is a potential EPROM-based software writer, too!

What does the 288's future look like? I don't know sure, but I think the signs are more encouraging for us this time around. For one thing, Sir Clive's big debts were paid in the Ametrad sale. For another this "U.S. TV hook-up" problems all his machine has no previous machines have had to overcome. The special U.S. software, U.S. ROMs and U.S. modulator circuitry always required before are unneeded; we all have the same screens! So most all of Europe's 268 software will work and vice versa. Ditto for hardware. That brings me to my next point: even though Sinclair was forced into selling his BASIC, isn't it conceivable that even a one-key entry of BASIC utility (on EPROM of course) might how up to make programming like I'm most at home with? Could be.

Talking with dealers is also enlightening. Sir Clive has very little marketing of the new machine going on in the U.S. as of yet. He's pushing it at home, presumably to get it going strong overseas. If we were seeing the big magazine adm and slick-paper mailings we received with his previous machines, I'd be worried. Perhaps he has learned some austernes, I a be worried. Perhaps he has learned some austerity in the last few years. They are also holding the line on prices. They are determined that the mad fury of gas-war style price cutting that derailed the TS1000 will not sink the Z86, too. We are also seeing Clive promote the machine, himself. This is not to save money on sales help, but I believe the man for the first time in a long time is truly proud of a creation. And rightly so. The Z86 belongs in the "Sinclair Family".

Figure C.		ZXB1/TS1000:	TS2068:	QL:	Z88:
	16K	2.69		_	
MEMORY	32K	3.06	3.44	-	1.31
UPGRADE'S	64K	2.11	2.03	_	1.31
COST PER	128K	3.28	1.30	_	.77
	256K	2.81	.77	.84	-76
BALE	512K	2.59	-	_79	. 75


SINCLAID COMPUTERS SPECS.

	SINCLAIR CONFUIDDS SPECS:				
Figure A.	ZX81/T\$1000:	TS1500:	TS2068:	QL:	268 :
CPU	ZSOA	280A	280A	88008	ZBOA (CHO)
FOOTPRINT	6, 5"x6, 9"	9"x5.6"		18.6"x5.4"	11.4"x8."
UNIT THICKNESS		1.2"	1.3*	1.8"	.9"
VOLUME	45 cu ins	63 cu ins		176 cu ins	
WEIGHT	12 08.	19 os.	39.5 04.	49 08.	
KEYBOARD SIZE			8.8"x3.5"		11.2"x3."
NUMBER OF KEYS		40	42	65	64
SPACE KEY LEN	. 43"	1"	5.2"	5.2"	5.2
INITIAL MEMORY		16K	72K	128K	32K
MAX (UNALTERED		64K	16Mb	1Mb	SMb
ROM PORTS	0	0	1	1	3
SERIAL PORTS	ŏ	ŏ	ō	ž	i
JOYSTICK PORTS		ě	5	2	ō
MONITOR OUTPUT		N	ÿ	Ÿ	Й
TV OUTPUT	Ÿ	Ÿ	Ÿ	Ý	M
SCREEN PIXELS	2816	2818	45056	131072	40980
NO. CHARACTERS		704	1408	2000	848

SINCLAIR COMPUTERS AND PERIPHERALS:

Figure B.	ZX81/TS1000:	TS2068:	QL:	Z88:
COMPUTER	89	190	300	480
BUNDLED SW INCL	0	3	4	5
ADD 16K RAM	43	-	_	_
ADD 32K RAM	98	110	_	42
ADD 64K RAM	135	130	-	83
ADD 128K RAM	420	176	-	98
ADD 256K RAM	720. –	198	220	195
ADD 512K RAM	1320	-	403	385
CONTR & 1 DDRIVE	479	373	330	200.~
EPROM BASED SW	50	30	72	46
EPROM PROG CIRCUI	T 60	34	120	INCL
MODEM COMPLETE	150	115	281	200
PAR PRINT I.F.	72	65	49	61

Z88 THIS COMPACT.



THIS POWERFUL...

- the most portable full-function computer ever beenson
- Less than an ouch thick, measures 11% in a 8% in Weighs under 2 lb
- Comes complete with integrated set of powerful. applications solvware word processing spreadtheet, database calculator data calculation back alarm. conter obtes - all included in ROM
- Care sport import and manipulate data from IBM. compatible PCs, converts its own applications stiwaremio Wonktar w Loto L 2 3 files. Macand STOR Unikurs available also
- Lytti memors comes in selvfotasi, interchingeable packs, cody from square s from deep. Not ragile disks, no bulky disk disks.
- 32k of RAM built in, expandable to 3 megabytes emorgh to hold the complete works of Shakopcare
- Permanent storage of EPROM4Frasable Programmable Read Only Memory (packs) available in 12k and 128K. I megabyte packs coming soon.
- Latest supertwest liquid crystal display provides large working area of 8 fines § 80 characters
- RS235 poor provides connection to surroutly any standard primer
- · OWERTY feedband has silent short travel kees use in meetings, lectures, anywhere
- · Runs on four AA batteries. Built in capacitor
- proseries data when batteries need to be changed.

Z88 SOFTWARE IN ACTION

The ZSR's ingenious built in software suite fets you switch any two applications even word processing and spreadsheet without loading eparate software into the computer's memory

Switch from writing a letter to find an address. Trum composing a report to carrying out a calculation — incise a spreadsheet into a document. simply press a couple of keys'

J.SR Sinclair Computer 5479.95 68008 Sinclair QL \$149.95 Call or winter for other 2008 providions

SHARP'S Inc.

Bir 126

Machinescille VA 231-1. (864) 738-9697 9am 4p



RESIDENT

Michael E. Carver

One of the many powers lurking within the QL is the ease of extending SuperBASIC. The simplest means of doing this is by defining PROCedures or Functions within a SuperBASIC program. The newly defined PROCedure or Function is then treated as a SuperBASIC keyword (i.e., PRINT, MODE, SAVE, CODE, etc.). A more sophisticated and global approach is to "link" the new PROCedure or Function to the system's resident memory. In other words, create a semi-permanent extension to SuperBASIC. With this method, any linked keyword is available no matter what program is residing in the computer. As long as another PROCedure or Function is not DEFined with an identical name and the computer is not reset, these keywords are available for use by any program, or by direct command.

Let's take a few seconds and review the difference between a PROCedure and a Function. Simply put. a PROCedure will preform a task and a Function will return a value or alter a variable. (EXAMPLE: CLS is a PROCedure and INKEY\$ is a Function.) These guidelines are not strictly followed by QDOS however. It is even possible to redefine certain SuperBASIC keywords. The most recent DEFinition takes precedent over earlier definitions. There are, however, certain keywords which QDOS will not redefine:

END, FOR, IF, REPeat, SELect, WHEN ERROR, DEFine, PROCedue, Function, GO TO, GO SUB, WHEN EOF, INPUT, RESTORE, NEXT, EXIT, ELSE, ON, RETURN, REMAINDER, DATA, DIM, LOCA!, LET, THEN, STEP, REMark, and MISTAKE

If one is writing a SuperBASIC program in its proper fashion (i.e., modules of PROCedures and Functions), it can be very easy to lose one's bearings. Since a call to a PROCedure or Function is not indexed via a Line 4, as in most BASICs, it would be helpful to

"Mandelbrot--A Fractal World" parts III & IV), specifically, the areas involving the System Variables specifically, BV_NTBAS and BV_NLBAS (Name Table and Name List) and the areas of memory they point to. Our PROCedure will scan through these areas of memory and report on what it

Let's examine the means for linking in PROCedures and Functions QDOS provides us with a system utility to do just that, BP INIT add PROCedures and Functions to SuperBASIC (vector \$110). Upon entry the following registers must be set accordingly:

A1 start of PROCedure/Function list 86 usual SuperBASIC address of SuperBASIC variables Upon exit the following registers are affected: D1 preserved AB preserved

D2 preserved AI corrupted preserved **D3** corrupted 42 A3 preserved AA may be updated if more memory was required

Errors: None

The above utility will add the defined PROCedures and Functions to the QL's system. The required format is as follows:

dc.w procesum number of PROCedures to be added

for each PROCedure to be created the following --

relative pointer to PRGCedure routine dc.w proutine-# length of the PROCedure name dc.b proclen dc.b 'proc_name' name of the PROCedure in ASCII

then at the end of the PROCedure list --

dc. w 6

dc.w function number of Functions to be added

```
for each Function to be created the following --
dc. m froutine-#
                 relative pointer to Function routine
                  length of the Function name
dc.b fnlen
dc.b 'fun_name'
                  name of the Function in ASCII
     then at the end of the Function list --
de . m di
```

Be advised if your PROCedure/Function names are long (with an average of over 8 bytes), the values for "functum" should be calculated using the 'procnum" and following formula:

(number of PROCedures + number of Functions +
number of bytes used in all names + 7)18

Any errors in the above format will more than likely cause a serious system crash. It is important that this format be followed closely. Even if you are only creating PROCedures (as in our example), the information for Functions must be included, especially the O's following the list of both the PROCedures and Functions. (See Listing 2 = label "procs".)

We are now ready to add a semi-resident PROCedure to QDOS. (Ask anyone with an IBM or clone if they can

pull off such a trick as easily as our beloved QL can!)
 VDUMP will display (or print) a list of SuperBASIC

variables. PROCedures, and Functions to any channel the user specifies, providing the channel is open. In order to redirect this information to a channel, other than the default channel (#1), a parameter declaring that channel must be passed to the PROCedure routine. This is accomplished by following the same format as other SuperBASIC commands (i.e., "#" followed by the number of the channel). QDO9 provides us with another of its wonderful system utilities to help us

vardumo

Whenever a PROCedure or Function is called, parameters following the name are placed on the RI stack. The first parameter is on the bottom of the stack and pointed to by O(a6,a1.1). Since the argument separators are lost when one of the following utilities is called, they must be checked or saved before the parameter is retrieved (see the first two lines at label "vardump"). The separators may include "#", ";", ".", "\". etc. The system utility vectors that can be used to retrieve parameters from the maths/RI stack are:

```
retrieve word integers
retrieve floating point numbers
CA GTINT -- $112
CA_GTEP -- -114
CA GTSTR -- $116 retrieve strings
CA_GTLIN == $118 retrieve long integers
Upon Entry the failuring registers should be set
          top of maths stack
                                               accordingly:
#I.1
a3.1
         pointer to first parameter
44.1
         pointer to last parameter
Upon Exit the following registers are affected:
                                   corrupted
di corrupted
                             2.0
                                    updated pointer top of
     corrupted
42
                              4.1
d3.w no. of parameters
                                    corrupted
                              42
                                   preserved
d4 corrupted
                              #3
AA.
     corrupted
                              a4
                                    preserved
Errors:
                              45
                                   preserved
```

-15 bad parameter

-17 error in expression

After we save the parameter separator, we use CA_GTINT to retrieve any possible parameter (i.e., "VDUMP #3"). If there are no errors and only one parameter (i.e., meter was found, a check is carried out to see if parameter separator was "#" (see "assign"). A check is then carried out to verify that such a channel is open then carried out to verify that such a channel is open and the internal channel ID is stored in a0. If no parameter is found, the default channel #1 is assigned ("default"). (NOTE: Please refer to the discussion of channel ID's in the "Mandelbrot" Part III article, Plotter Source Code section "ink".) The lines in the VDUMP code labeled 'assign, starting with "move.1 BV_CHBAS (a6),a2" through label "no_chan", is the method of assertaining the correct internal channel. ID number of ascertaining the correct internal channel ID number 33 based on the SuperBASIC channel ID.

The rest of the PROCedure is rather simple and straightforward. Most of the work performed by this PROCedure is similar to our machine code routine in the Mandelbrot program that searched the SuperBASIC variables area for the two variables assigned in BASIC. (See text and source code labeled "calc" along with Table 1 - Variable Types.)

Let's now examine the various system utilities used by this PROCedure to print the information and messages. The first vector used is UT_MTEXT - \$d0 - print message on channel. Upon entry, the following registers must be set:

> channel ID a1.1 start of message

Upon exit the following registers are affected:

d 1 corrupted aS preserved **d2** corrupted 41 corrupted corrupted preserved 43 preserved

Any error from I/O operations (see pages 19-20 of the Concepts section of the QL User's Guide for a list of Error Codes).

The message pointed to by al is sent to the specified channel. The correct format of the message pointed to by al is

dc.w mess_len length of message -- must be word lengt# dc.b 'message'

It is wise to ensure that the length of the message definition block end on a word boundary, since the CPU expects all addresses to begin on even addresses. (See Listing 2, label "line_mess".)

Another means of printing to a channel is by using the Trap #3 utility, IO_SSTRG - \$07 - send sequence of bytes to channel. Upon entry the following registers must be set accordingly:

number of bytes to send

d3.w timeout

40.1 channel ID

41.1 location of first byte to send

Upon exit the following registers are affected:

diam no. of bytes sent 40 preserved

preserved d2 4.1 1 past last byte sent **d3** preserved 82 preserved

preserved

Errors:

not complete

invalid channel ID

-11

This trap will send as many bytes as it can (which are pointed to by al) during the timeout specified. NOTE: Timeouts are similar to those used by SuperBASIC in such Functions as INKEYS (24) or INKEYS (1).

VDUMP also uses another Trap #3 utility to send just one byte to a channel, IO_SEYTE - \$05 Upon entry

set the following registers:

byte to be sent

d3.₩ timeout

channel ID 46.1

Upon exit the following registers are affected:

20 41 corrupted preserved d2 preserved al corrupted preserved 43 preserved =2 preserved **a**3

Errors: same as IO_SSTRO

It is also possible to send a decimal number to by using the utility vector UT_MINT - \$ce. Upon channal entry set the following registers:

> d1.w value to orint

channel ID 40.1

Upon exit the following registers are affected:

41 Corrupted 9.0 preserved corrupted al. corrupted 43 corrupted **a**2 corrupted **a3** corrupted

Errors: all possible I/O errors

GETTING VOUMP INTO THE MACHINE

Carefully key-in Listing 1 into your computer and to cartridge or disk before running. I have in-8ave cluded error checks in an attempt to catch any mistyped numbers which make up the machine code routine. After you have saved the program, simply RUN the SuperBASIC. It will POKE into memory the machine code and save itself to your specified device (i.e., mdvl., flpl., etc.). NOTE: The command RESPR will not work if another job besides SuperBASIC is resident in the QL.

USING VIND

The easiest way to link-in our new PROCedure is to incorporate Listing 3 into your normal boot program (be sure to change Line numbers so as not to overwrite any lines already in your boot program). Once the QL has been "booted" with this new PROCedure, the simple command of "vdump" will list all variables, arrays, PROCedures or Functions to the default channel (#1). pressing CTRL F5, the display to the screen can be halted. Pressing any key will reactivate the PROCedure It is possible to send your "vdump" to a file on a disk or cartridge by first opening a file (OPEN_NEW #7, mdv1_dump), and then using the command "vdump #7". Be sure to close the file when the PROCedure has returned the flashing cursor (CLOSE #7). You can also send a list of your SuperBASiC variables, PROCedures and Functions to your printer. First, open the serial port connected to your printer via (OPEN_SERIC, #7). The "c" insures that QDOS linefeeds (ASCII 10) are sent to your printer as carriage returns (ASCII 13). The command "vdump #7" "vdump #7"

will now send the listing to your printer.

I hope that this PROCedure will be an aid in creating fantastic SuperBASIC programs and will provide another "open door" to exploring the POWER and VERSATILITY of the QL. All other less sophisticated computers BEWARE...we are taking the "Quantum Leap"!

SUGGESTIONS

For the more adventurous souls, the next logical step would be to alter the procedure to print out the values of the variables and the dimension data for the arrays. With this added feature to VDUMP (now called writing and debugging SuperBASIC programs will become less of a chore. By placing XDUMP in a programs line where you suspect some "bugs", a complete value listing of all the declared variables can be checked (i.e., 2002 PRINT e5; "LINE #2002"; XDUMP #5)

For those who do not have the time or the inclination, I will provide such embellishments on microdrive cartridge or floppy disk for an extra \$2.50 charge. I will also include QUILL files of this article, along with all supporting programs and source code. To receive VDUMP and/or XDUMP (which will display variable values and array dimension information), send a chack or money order for \$7.50 (+ \$2.50 for XDUMP) to: Michael E. Carver, 1016 N.E. Tillamook, Portland, OR 97212. Or 24.00 (+ \$2.50 for XDUMP) if you provide your own cartridge or disk. Please specify what format you wish (only microcartridge and 5 1/4" DS/DD disk available).

LISTING I -- Machine Code Loader for voume

REMark **** Program to Load 'vdump' procedure 20 REMark #### as machine code and save to device 38 REMark #### 40 REMark #### 30 40 checking 70 device 88 into_machine to medium



OFFER EXPIRES JANUARY 15, 1989

```
100 test
                                                             LISTING 2 -- Source Code for Variable Supp PROCedure (vdusp)
110 :
120 DEFine PROCedure into_machine
    CLS: PRINT 11"POKEing code into memory. . ."
                                                                  title 'VDUMP'
146
     ARRESPR (332)
                                                                  Procedure to Dump Variables, Procedures, and Functions
136
     bea
     RESTORE 1888
                                                                  produced in SuperBASIC
146
     REPeat load_loop
174
                                                                  written by Michael E. Carver 2/8/88
100
     FOR YES TO 28
     FOR yes TO 8
190
      READ number
299
                                                                  revised 2/15/88
      POKE_W (b), number
215
                                                                  final revision 6/19/88
224
      b=b+2: IF b>=e+332 THEN EXIT 1044_1000
     END FOR Y
230
                                                                  CTL F5 will halt display to screen
     READ number: REHark ### clear check_wum
244
                                                                  To send to printer open seric or ser2c to provide
    END FOR X
250
                                                                  Carriage Return
264
    EXIT load_loop
278
   END REPeat load_loop
                                                                 register use d5=end of name table
28# END DEFine into_machine
                                                                                a5=start of list table
296 :
                                                                                do-holds name table data
308 DEFine PROCedure device
                                                                                d4=type searching for
310
     devices-'mdvi_'
                                                                                admpointer in name table
324
     PRINT "Default device "Idevices
334
     PRINT "Change device to:
                                                                 INPUT "(PRESS Return to keep old device) "(newdevices)
344
      IF newdericescomm THEN devicesmenderices
354
                                                            LINEFEED equ soa
                                                                                     ASCII tode for Line Feed
     CLS: PRINT 'Will save to "Idevices
36#
                                                            VARS
                                                                       equ ##2
                                                                                     Variable types
370 END DEFine device
                                                            APPAY
                                                                       +qu ##3
                                                                                     acray types
38£ :
                                                            9900
                                                                       egu 984
                                                                                     Procedure types
390 DEfine PROCedure test
                                                            FUNC
                                                                       egu #85
                                                                                     Function types
     CLS: PRINT "Testing new procedure. . ."
488
410
     DIM dommy (28)
                                                                  The following labels may be supported by your assembler
420
     CALL A
439
     vduso
                                                            BV_NTP
                                                                      eau #1c
                                                                                     offset end of name table
448 KND DEFine test
                                                            BV_NLBAS
                                                                      80H $28
                                                                                     Offset start of list table
454 :
                                                            BV_NTBAS equ 518
                                                                                     Offset start of name table
448 DEFine PROCedure checking
                                                            CH LENCH
                                                                      POU $28
                                                                                     length of channel block
     CLS: PRINT 'Checking DATA statements. . . " \\
478
                                                            BV_CHBAS
                                                                      enn 936
                                                                                     channel table
486
     RESTORE 1000
                                                            BV. CHP
                                                                      BON 834
                                                                                     end of channel table
                                                            BV_RIP
498
     FOR x=0 TO 20
                                                                      eou $58
                                                                                     maths stack pointer
344
                                                            DP_INIT
      count ##
                                                                      800 $118
                                                                                     add SuperBASIC Procedure
510
      FOR yet TO B
                                                            UT MTEXT
                                                                      PQU $49
                                                                                     print message on channel
528
       READ number: count-count-number
                                                            IC. SSTRG
                                                                      equ #07
                                                                                     send sequence of bytes to channel
534
      END FOR y
                                                            IO SBYTE
                                                                      egu #65
                                                                                     wend byte to channel
540
      READ check_sum
                                                            UT MINT
                                                                      equ ece
                                                                                     send decimal number to channel
336
      IF check_sum<>count
                                                            CA_GTINT aqu $112
                                                                                     get parameters as word integer
568
       PRINT "ERROR "" Check line # "| 1000+x+10
378
       STOP
                                                            $  <del>你你你就我们我没有我们我的我们的我们我们就没有我们就没有我们我们就没有我们就没有什么的的的</del>
586
      ELSE
899
     END FOR x
                                                                 Actual start of program as loaded into machine
     PRINT "BATA checked -- OKAY"
684
618 END DEFine checking
62# :
                                                            install
                                                                       MOVE. H BP_INIT, as
                                                                                                link in procedure
63# DEFine PROCedure to medium
                                                                       les proce.al
     PRINT \\"Ready "idevices;" Press any key to Save. . .*
                                                                       Jan (ad)
454
     REPeat 100p
                                                                       rts
668
       a#=CHR#(ready)
                                                            proce
                                                                       dc.w 1
                                                                                                number of proce
       IF as()"" THEN EXIT loop
678
                                                                       dc.m vardumo-#
                                                                                                relative incataion
                                                                       dc.6 5, 'VDUMP'
684
     END REPeat loop
                                                                                                procedure name
470
     $3YTES device*k'vardump_proc', a, 33Z
                                                                       dc.m #
                                                                                                end of proce
788 END DEFine to_medium
                                                                       dc.m d
                                                                                                number of functions
714 1
                                                                       dc.H 6
                                                                                                end of functions
728 DEFine Function ready
                                                            .
     LOCal x
730
                                                                 routine to check for parameter & type if not "H" report
746
     c=CODE(INKEYs(-1))
                                                                 parameter error
     RETurn c
754
765 END DEFine ready
                                                            vardumo
                                                                       tes par_sep.a4
                                                                                                mave parameter meparator
778 ;
                                                                       move.b 1(a6,a3,1),(a4)
1868 DATA 12458,272,17462,6,26112,26865,1,14,78388
                                                                       MOVELH CA_STINT, AS
1919 DATA 1364,17493,19792,0,0,6,18938,390,57889
                                                                       16c (a6)
1#26 DATA 6326,-18431,12468,274,26112,19872,26236,3139,69136
                                                                        tet.1 ds
1838 DATA 1,27958,26372,28913,28885,2868,7,26614,132818
                                                                                                any errors?
                                                                       bne.s exit
                                                                                                quit if any
1848 DATA 12342, -26624, 21678,88, 9326,48, -16132,49,766
                                                                       Cmp. w #1,d3
                                                                                                one parameter?
1858 DATA -18816, -18962, 52, 27654,8318, -22526, 24586, 28922, 37218
                                                                       bit. m default
                                                                                                no parameter
1849 DATA 20685,8316,1,1,28672,17462,154,13432,88863
                                                                       beg.s assign
                                                                                                if one, assign channel ID
1678 DATA 288,28114,14394,2,24862,17462,152,13432,98588
                                                            bad_para
                                                                       Moveq #-15,dd
                                                                                                incorrect parameters
1865 DATA 288,281:4,14396,3,24866,17482,148,13432,98369
                                                                       rts
                                                                                                return with error report was 'N' used?
1898 DATA 288,28114,14396,4,24858,17482,148,13432,98554
                                                           assign
                                                                       btst #7, (A4)
1189 DATA 208,20114,14396,5,24834,28085,17398,29,97869
                                                                       beq.w bad_para
1118 DATA 10769,-9586,17390,32,10833,-9266,17390,24,37586
                                                                       move.w $(a6, a1.1),d5
1128 DAYA 18321, -9778, -18412,26378,24628,8781, -11548,2,38372
                                                                                                get parameter
                                                                       addp. 1 #2.8V RIP(a6)
                                                                                                restore maths stack
113# DATA -19587,28458,5145,38463,28679,28835,3876,4,96353
                                                                       move.1 BV_CHRAS(a6),a2
                                                                                                find start of channel
1148 DATA 27724,17482,98,13432,288,28114,12844,4,92818
                                                                       mulu WCH LENCH. do
                                                                                                ... definition block
1156 DATA 13432,286,28114,29194,38463,28677,28835,28536,162677
                                                                       adda. 1 d8, a2
                                                                                                absolute address
114# DATA -1778#,2704#,2##85,12,2646,24946,26977,25194,189922
                                                                       cmp.1 3V_CHP(a6),a2
1178 DATA 25971,14858,18,2625,29298,24953,29498,8282,135415
                                                                       bge.s no_chan
                                                                                                not in table
1188 DATA 14,2648,21871,17253,25717,29285,29498,9282,133688
                                                                       move.1 $(a4,42.1),4$
1196 DATA 12,2639,38839,25468,26991,28275,14858,9,128265
                                                                                                new channel ID
                                                                       bra.s start
```

1286 DATA 8224,19561,28261,8227,8192,\$,8,8,72445

```
no_chan
          moved #-4,d#
                                 'channel not found'
                                                                       Emp. b #4.44
          rte
                                                                       bit.s newline
                                                                       lea.l line_mess,at
                                                                       MOVE.W UT_MTEXT.42
default
          move. I ##16661, a6
                                 channel Mi
                                                                       tue (42)
                                                                                              print "Line # ...
                                                                       move.u 4(a4).dl
                                                                                              get line number
                                                                       MOVE.W UT_MINT, &2
                                                                                              print line number
    ten (#2)
                                                            newline
                                                                       moved WLINEFEED. 41
                                                                                              send linefeed
SCHOOL SEC.
          woved Ha, de
                                                                                              timebut
                                                                       mpveq #-1.43
          lea. i vers_mess, al
                                                                       moved WIO_SBYTE, d#
          MOVE.H UT_MTEXT, 42
                                                                       trap #3
          ter (a2)
                                 print "Variables: "+LP
          MOVE. W MUARS. d4
                                                             ŧ
                                                                 update pointers and continue search
          ber. # pointers
                                                             nope
                                                                       PA.SH DDA
                                                                                              next item in table
    list all SuperBASIC arrays ***********************
                                                                       cmp.1 a4,65
                                                                                              reached end of table
                                                                       bgm. & search
                                                                                              if not continue
          lest erray_mess,at
                                                                                              end reached
          move.w UT_HTEXT,a2
          150 (a2)
                                 print "Arrayst "+LP
                                                                 MOVE. W WARRAY. 44
                                                                  Important: the spacing between quotes is crucial!
          bar. s pointers
                                                             vars_mess dc.w 12
    dc.b LINEFEED
                                                                       dc.b 'Variablest'
                                                                                              NO MORCOS
          les, 1 proc_mess, a1
                                                                       dc.b LINEFEED
          MOVE. H UT_MTEXT, 42
          jer (a2)
                                 print *PROCedures:*+LF
                                                             array_mess dc.w i#
          MOVE. H MPROC, d4
                                                                       dc.b LINEFEED
          bar. a ppinters
                                                                       dc.b 'Arrayst '
                                                                                              I space after coion
                                                                       dc.b LINEFEED
    proc_mess
                                                                       dc. w 14
          lea.1 func_mess,al
                                                                       dc.b LINEFEED
          move. # UT_HTEXT, =2
                                                                       dc.b 'PROCedures: '
                                                                                              1 wasce after colon
          58P (42)
                                 arint "Functions: "+LF
                                                                       4c.b LINEFEED
          WHYP, M. MFLING, d4
                                                             func_mess dc. w 12
          baris painters
                                                                       dc.b LINEFEED
et a company
          cts
                                 Sec. 10
                                                                       de.b 'FuNctions:'
                                                                                              NO SDACOS
                                                                       dc.b LINEFEED
    enter with 44 containing type 82*variable
                                                             ling_wess
                                                                       dc.w #
                                                                       dc.b ' Line W '.d
                                                                                              Insure word boundary
                                 84=SuperBASIC procedure
                                                                                              2 spaces before Line
                                 SS=SuperBABIC function
                                                                                              I space adten #
                                                             par_sep
                                                                       dw.w.i
                                                                                              program variable
          Lea BV_NTP(a6),at
                                 end of name table
pointers
          move.i (al).d3
          add. 1 a6, d5
                                 absplute address
                                                             1287286 3 -- Boot progres to install volume PROCedure
          lea BV_NLBAS(a4),al
                                 start of list table
          move-1 (al), a5
                                                                  REMark #W#W boot to load voump Procedure
          add. 1 #6.45
                                 absolute address
                                                             114
                                                                  REMark #### this procedure is called with channel
          les BV_NTBAS(m6);el
                                 start of name table
                                                             128
                                                                  REMark #### 1.e.
                                                                                  (vdump #2>
          move.1 (a1),#4
                                                                  REMark **** CTL F5 will freeze screen during dump
                                                             123
          mdd.1 36,a4
                                  absolute address
                                                                  a=RESPR(332)1 LBYTES mdvl_vardump_proc.a
                                                             136
                                                                  CALL a
                                                             146
    check for proper type
             #4 containing high byte of type ID
    antert
                                                             TABLE 1 -- voump of Listing 1
             a4 pointing to type
          can, b (ad), d4
                                 check type
eparch
          beq. s match
          brais nose
                                                             number
     found proper type **********************
                                                             devices
     enter with as.1 = channel ID from parameter information
                                                             newdevices
                                                             count
match
           move.1 a5, at
                                  calculate address in
                                                             check_sum
           add.w 2(a4),a1
                                  ... list table
           cmp. 1 a5, at
                                  if local variables
                                  ... prevent overlap
          ble.s nope
           move-b (al)+,d2
                                  length of variable name
                                                             Arravet
                                                             dummy
     at now points to ASCII string of variable name
                                                             PROCedurest
          moveq #-1,d3
                                  timeout
                                                             checking Line # 46#
           moved #10_68T#G.ds
                                                              device Line # 368
                                  send string
           tran #3
                                                              into_machine Line # 12#
                                                              to_medium Line # 638
test Line # 378
     44a4) will point to next word in name table which will be
                                                             Functions:
     the line number where the DEFine took place
                                                             ready Line # 728
```

Texter

An Advanced QL Wordprocessor

PART ONE

by Mike de Sosa


As I indicated in the Time Designs Tests section of the last issue, Software87's Texter wordprocessor for the QL is billed as full-featured, WYSIVYG wordprocessor designed for easy use by amateurs, but ranks in user-friendliness somewhere between QL QUILL and The Editor. And, as the 60-pages documentation for this excellent software is not always clear or complete and as it is not really fully WYSIWYG, some additional instructions for use are considered necessary. (Later versions of Text* are supposed to contain a tutorial for its use, but these are not yet available). The following pertains to version 1.6 of Texter.

Veing Texter

The Texter User Manual not 18 comprehensive and indicates that the user "should discover the working of Text" on

his/her particular hardware by trial and use ... for any particular task." Text** embodies the latest trends in wordprocessor design which make use of greater RAM and online memory and incorporates the following features.

- * Control of page layout and text dimensions in absolute units (millimeters or inches)
- * The ability to mix characters with different sizes and typefaces on each line
- * Full use of printer features for variable line-spacing, columnization, microjustification, etc., using dedicated printer driver files
 - * The entire document is held in RAM
 - * Greatly accelerated operations



We don't think sof

We want you to know that we are STILL stocking and supporting the QL in everyway we can! If you want a NEW or USED QL; s/w or h/w to add to your system or just need some advice - RMG will do all we can to help you. There are a LOT of NEW and EXCITING products coming out every month to add to your computing pleasure on your QL. Read about them in QL WORLD USER and TIME DESIGNS - THEN CALL RMG FOR PRICE AND AVAILABILITY. If we don't know - we'tl find out! JUST CHECK OUT THESE SPECIALS=========>> Moster Card

RMG ENTERPRISES 1419 1/2 7TH STREET

OREGON CITY, OREGON 97045 503/655-7484 * NOON-10 TUE-SAT



HERE ARE A COUPLE OF

QL PACKAGE COMPLETE-30 DAY WARRANTEE QL PACKAGE-USED 15 DAY WARRANTEE \$110 PP* MIRACLE CENT. PRINTER I/F \$ 48 PP* EW TRIVIA QLUE GAME REG. \$19.95----- 15 PP* REG. \$39.95----- 37 PP& REG. \$39.95----- 37 PP* FLACHBACK SPEEDSCREEN 1 DNLY! SUPER TOOLKIT II EPROM CART---\$ 55 ONLY! QFLASH EPROM CART----- 33 PP* DNLY! CONCEPT 30----- 28 PP* 2 ONLY! GRAM (USED)-----EACH-\$ 33 PP* ***********************

In order to use Text**; advances to full effect, one must become familiar with several new concepts underlying its design and change some old wordprocessing habits.

Making a Vorking Copy

Text** will not run from the master disk or cartridge; one of a number of printer-driver files must be copied to a program disk as driver_P87, one of three essential files (the others text87 and default11_F87, the program itself and a default fount file, respectively).

respectively).

Text** is not copy protected. Use any "copy" command available to transfer files. Other P87 suffixed files need not be copied. (See Section VII of the manual for printer driver data.) F87 files are screen display founts: copy needed one to the working copy program disk or a second Microdrive cartridge. T87 files are source files used to modify various printer drivers; the use of an assembler is required. Founts_A87 is a list of founts available and should be copied to the program disk/cartridge. Recom_bas and Key_bas are SuperBASIC files used to configure Text**; the former to specify program and file media to be used, the latter to alter the keyboard layout (from QWERTY to AZERTY, etc., as desired, similar to QL Quill's translate options).

Texter Operations

Texter is an RIECutable program, that is, it may be executed by the command EXEC (or RI with Toolkit 2):

BIEC (or EX) flp1 text87

(A suggested--and modifiable--BOOT file is included in the User Manual to optimize the screen presentation.)

If the minimum memory required (256K) is available, the text window will appear with the cursor flashing in the lower left corner of the screen—hold the CTRL key down while pressing the C key to activate Text* and move the cursor to the top left of the text window. Important immediate commands are as follows: key F4 to "redraw" the text window whenever desired; key F3 to produce the MAIN MENU below the text window; key ESC to return to the text window.

Cursor movement and deletion commands are well documented: the cursor may be moved in the normal and a number of accelerated ways to various parts of the document; deletion of letters, words, parts of lines, and entire lines may easily be made (most delete commands do not reformat an amended paragraph).

SHIFT P4 inserts a new fount at the cursor position and SHIFT P5 INSERTS a new "line guide" on the following line. BETER functions as a carriage return, CTRL SHIFT P4 as a page number command, and three types of "break the line" command are available. Other marker symbols are also used. RSC aborts the current level of a menu-driven command.

The Kenu-driven System

Text** is menu-intensive: keying F3 produces the MAIN MENU, only one of many menus and sub-menus. ESC returns operations to the text window. Keying the first letter of each menu item (or KNTER for the first item in a menu) then produces either a prompt or a sub-menu, used in the same way. In the version tested, some menu items were present but not yet implemented. When a prompt requests a number, the range of suitable numbers is displayed; "intelligent" replies or parts of replies are usually given to prompts. ESC returns operation to the previous level.

At start-up, the following data is displayed below the text window:

Text: Vords: Line: Prame:

Keying F3 produces the following MAIN MENU, the entry point to the Extended Command system:

Alpha* Block Context Doc* Files Goto

Keying the first letter of each option executes the command sequence producing an action, a prompt, or a sub-menu.

Once executed, Text* makes no further demands for extra memory from the QL, but every time a file is loaded or saved, or a printout made, the program attempts to open a channel through the QL to perform the operation. Text* may be used to good effect with TOOLKIT II, and suggestions for this are given in the User Manual.

The user may select which screen display fount (three colors, plain or underlined) represents a "printype." A printype is a unique combination of a printer typeface and one of the forms in which may be printed on your printer. Each printer driver included provides a large selection of printypes, each of which may be selected and uniquely represented on the screen.

Text on each line is formatted according to a defined "ruler" which governs margins, tabe, indentations, justification and scale. Up to sixteen rulers may be defined and later selected from.

The basic implication of using Text*7 is the potentiality of using a single program as word processor and no-nonsense desktop publisher. This is the strength of Text*7 and makes it worth the expense of purchase and learning a new system.

Texter Extended Command Hierarchy

The table on the next page illustrates the extended command hierarchy. Space precludes a thorough definition of command functions and recommended procedures in one article, so this will be continued in the next issue of Time Designs.

next issue of Time Designs.

If you don't want to wait, you may order Text** directly from Software87, 33 Savernake Road, London NW3 2JU, United Kingdom. Airmail price is \$75, payable by traveler's check, international GIRO postal money order, or other check directly payable at a U.K. bank; add about \$8.50 for checks not so payable. Founted** is a companion font editor available at \$15.

Texter Extended Command Hierarchy

- 1. Alpha# selects normal/additional character set
- 2. Block highlights part of text for various operations
- a. Copy copies block to cursor position
- b. Delete deletes block
- c. Goto moves cursor to first line of block
- 4. Nove poves block to cursor position
- Euler changes the "ruler" format of the block to one celected by the Ruler option of MAIN MEMU (a ruler designates the margins, indentation, and tabs used for a section of text)
- f. Type changes the "printype" of the block to one selected by the Type option of NAIN NEWU (a printype is a combination of type size and font design)
- g. Unset deactivates and removes highlight from block
- Context sets all parameters that are not part of a given document's format

a. Attach:

- Select selects font and color to represent a printype (typefaces and options supported by the printer driver)
- 2) View displays available printypes and the fonts and colors which represent them

b. Driver:

- 1) Load loads another printer driver file
- 2) Save maves current printer driver file to retain info entered using Attach option
- c. Founts loads extra founts
 - Nultiple loads all founts listed in the founts_487 file
 - 2) Single loads a single specified fount
 - d. Paras modifies certain paragraph parameters
 - 1) Indext toggles "auto indext mode" on or off (HNTER moves cursor to first TAB position on next line of text)
 - 2) Decimal TAB Character allows definition of decimal point character on which numbers will be aligned at the decimal TAB position
 - 3) Length Unit selects unit of length used for margins, tabs, page layout, etc. as millimeters or 1/8" or 1/10"
 - 4) Kemory Size sets amount of memory to be allocated to Taxt*7 at start-up
 - 5) Storage & Printing sets certain parameters for storing and using text and founts for printing operations
 - a. Load loads a _C87 (screen and page) parameter file
 - Save saves current parameters to a _C87; if file is named configure_C87, it loads automatically
 - g. Vindow adjusts size and location of text window
 - L. View:
 - Compress toggles screen representation of linespacing on and off

- 2) inverse toggles screen paper to black or white
- 3) Scale Selects scale of pixel vs. page length
- 4. Doc selects section of text to be edited; not yet implemented
- 5. Files selects all text file operations, that is, Save, Load, Export, Import (QL Quill _doc files may be loaded)
- 6. Goto accelerates cursor novement to top, bottom, or specified line of text
- Layout sets layout of columns, header, and footer on page and page size

THE MOST COMPREHENSIVE RESOURCE FOR THE SINCLAIR QL. GET YOUR COPY TODAY!!

More and more QL owners are discovering the excellent new book by Mike de Sosa — TAKING THE QUANTUM LEAP: The Last Word On The Sinclair QL.

This 280 page book is chock full of useful programs and original programming examples. Chapters on using the bundled software and a look at the latest hardware and software releases. Written for both the novice and more advanced users. Priced less than most software packages and nearly two pounds of information!!

\$26 (USA).

Exclusively available from:

TIME DESIGNS

29772 Hult Road, Colton, Oregon, 97017, USA. Telephone (503) 824-2659.

VISA and MASTERCARD accepted.

Software for the QL that really works

MAILBAG An address database you

won't believe. Labels, Rotary files, Zip sort, tickler file, many auto

features, & more...256K Spreadsheet for IRS tax returns.....384K

QLANDLORD Manage 99 buildings or units. Do Sched E.. 256K

TAX-I-QL

\$19.95 ea pp on 5 1/4" DSQD (+\$2.00 on microcartridge)

AND The most comprehensive list of independent North American software for the QL.

Agents for ZX/TS SiriusWare
4K Wordprocessor with
TS 2040 lower case printer driver

Orders, Catalogues & Dealer info

EMSoft

P.O. Box 8763, Boston, MA 02114 (617) 889-0830

VISA/MC ok

FULL COLOR SCREEN DUMPS for the 2068!! A new ver. of "COLOR COPY" for OKIMATE 20 printer, IBN Plus 'n Print cart., & AERCO/OLIGER par. printer I/F is avail. for \$8.95 ppd Write to: John McMichael, 1710 Palmer Dr., Laramie, WY 82070, or call (307) 742-4530 evenings.

WANTED: VU-FILE in T.C.C. Certridge (Timex) format for the TS2068. Will pay reasonable amount plus postage. Jerry Campbell, 8717 NE 138th, Kirkland, WA 98034.

MAILING LIST FOR SALE: TIMEX AND SINCLAIR users who attended '88 Northwest Computer Show. Complete for only \$5.00 ppd. Rod Gowen, 1419 1/2 7th Street, Oregon City, Oregon 97045.

SPECIAL LIMITED TIME OFFER: With proof of RENEWAL/NEW SUB. to TIME DESIGNS, get SEVEN issues of SINCUS NEWS (T/S User Group News-letter) for only \$8. Thats an extra issue free! Offer expires 12/31/88. SINCUS NEWS, 1229 Rhodes Rd., Johnson City, NY 13790.

FOR SALE: TS2068 W/RGB OUTPUT, A&J Microdrive, Microwafers, Alphacom 32 printer, software and books. Call or send for prices and list: Steve Kershaw, 547 S. Church, Virden, IL 62690; (217) 965-3537.

FOR SALE OR TRADE: ELECTRONIC TEST EQUIPMENT—electronic books. Send SASE for list. WANTED: LARKEN or OLIGER disk system for TS2068. W.E. Powden Sr., RR#1 Box 364, Bridgeport, IL 62417.

TAPES FOR TS1000+16K or TS1500. Automatically generate tables of monthly posted daily compounded interest tables, of fixed rate mortgages, of adjustable rate mortgages, and of annuities. Available for Just \$10 (U.S) each from: Edwin N. Phillips, 540 Marilea Court, Orange City, FL 32763.

SHOW THOSE ROAD HOGS ON THE INTERSTATE now you feelt! "STILL ALIVE WITH UNCLE CLIVE", viny! bumper sticker, \$2.00 + legal size SASE, T. Simon, 615 School Ave., Cuyahoga Falls, OH 44221.



FREE ADS FOR SUBSCRIBERS

GOT 2068 COLOR INTERFERENCE on your MONOCHROME MONITOR?? Get a "Color Killer Kit" for \$24. OR send BARE 2068 to same address for modification - \$45. Make payable to: Randy Kopisch, 1315 Choctaw, Alva, OK 73717.

USER GROUP NEWSLETTER: QZX, about the amateur radio uses of Sinclair computers. \$15 per year. Sample issue for SASE (with \$.45 postage) to: K5XY, 2025 O'Donnell, Las Cruces, NM 88001.

FOR SALE: (2) 2068's; ZEBRA 3-PART Disk Drive System, disks, mag on cassette from Eng., programs, modem, books. SASE for complete list & prices, R. Zuch, 120 Holly Rd., Pine Knoll Shores, NC 28557.

FOR SALE: WESTRIDGE MODEM \$30.00. or will swap for AERCO Centronics Interface for TS2068. Contact D.H. Berry. 1328 Springlite Way. Orlando, FL 32817.

FOR SALE; Z88 COMPUTER in original package with vinyl carry case and 32K ROM pack - \$375. Edward Snow, 2136 Churchill Downs Circle, Orlando, FL 32825; phone (407) 380-5124.

WANTED! USED OS-64 CARTRIDGE and used SPECTRUM EMULATOR Cart. Phone (503) 669-0639. Gaylen W. Bench, Grasham, Oragon.

WANTED: PHILADELPHIA, PA - AREA users of T/S computers, to form our own users group either as an independent SIG or a sub-SIG of Phila. Area Computer Society.

Contact Mike Finn, 4537 Almond St., Philadelphia, PA 19137.

FOR SALE: TS1000-TS2068-QL-SPECTRUM hardware and software, For list send S.A.S.E. to: R.J. Burt, RR#5 Box 157, Belleville, Ontario, Canada, k8N-4Z5.

FOR SALE: (2) QLs, numerous books, hardware, software. For list & prices contact: R.W. Swafford, 2011 Hoover St., Lawton, OK 73507; or call (405) 357-0589 after 4 PM CST.

FOR SALE: SINCLAIR QL...needs some help. Centronics Printer Interface, two menuals, two power supplies, software including QL Entrepeneur. All for \$90 including shipping. Ted Sobel, 219 White Church Road, Brooktondale, NY 14817; (607) 539-7920.

FOR SALE: (2) 2068's: OLIGER DISK Drive (DD4D) complete; A&J Microdrive, complete-all like new. Books, original programs, microcassettes. (205) 859-2944, Huntsville, AL; Lionel Barthelsmy.

WANTED: NEW OR USED WAFERS FOR A&J Microdrive for TS1000. C.L. Hemilton, 4004-27A St., Vernon, B.C., Canada, VIT-4Z2; Phone (604) 542-1095.

SINCLAIR SHAREWARE DISK FILE EXCHANGE. For info and sample newsletter, send \$1.00 (Check to "Sinclink", stamps or cash). SINCLINK, 6675 Clifford Dr., Cupertino, CA 95014.

ħ.

146

WANTED: "EXPANDABLE ZX80 + 2X81" by J. Jarrett, ZWEST back issues, Big Ears Speech Recognition System by Sinclair Place. Write to: Van Vangor, 346C Retreat Rd., Island Falls, ME 04747.

HAROBACK SOFTWARE: 17 TITLES!! Fighter Pilot, Word Processor, Flight cart., modem program, misc. 2068 cassettes, original material. All 50% below retail. Free Shipping: phone (512) 839-4516.

FOR SALE: (2) QL's (new), TS2068 hardware and software (new), Legal size SASE for list, WANTED: Timex Disk Drive System "twister", 2068 business software on 3" disk. Stan Light, PO Box 13, Ellenton. FL 34222; phone (813) 748-0478.

Do you have some equipment or a program that you would like to sell? Looking for something hard to find? Place an ad in THE CLASSIFIEDS! Subscribers can place one free personal ad in each issue. Ad size is 32 Col. wide (like 2040 paper) and maximum of six lines. For additional lines - \$3 each. NON-SUBSCRIBERS and DEALERS: \$4 a line. DEADLINE FOR ALL CLASSIFIED ADS: Two weeks before publication date. Mail your ad to: TIME DESIGNS MAGAZINE, The Classifieds Dept., 29722 Hult Rd., Colton, Oregon 97017.

40 -

2068 Graphics Designer Series

Banner Designer Greeting Card Designer Sign Designer

All 3 programs for just \$29.95

Zebra's 2068 Graphics Designer Series includes three programs that let you create Greeting Cards, Signs, and Banners. Each program allows you to mix text and pictures in your creations. Plus, all programs include picture libraries as well as graphics editors so that you can create your own pictures to add to the picture libraries. Great for birthdays, holidays and business tool

Interfaces supported: AERCO, Tasman B&C, A&J. Printers supported: Epson RX/FX and compatibles, Star 10X/SG10/NX10, Memotech DMX80, Panasonic 1090, Prowriter, Seikosha GP250, Gorilla Bananna, Legend 808. Order Cat# GS03 \$29.95

Signs, Banners, and Greeting Cards made with the 2068 Graphics Designers



3 New Fantastic Picture Collections for use with Zebra's Graphics Designer Series and Lemke's Pixel Print

These pictures were created for us by very talented graphics artists. Each of the three collections consists of 120 pictures supplied as 4 tapes containing 30 pictures each. Some samples from each collection are shown below.

Picture Collection #1 4 tapes, 30 pictures per tape.


Sports, America, Party, Office #GS11 \$19.95

Picture Collection #2 4 tapes, 30 pictures per tape.

Animals, Nature, Religion, Travel #GS12 \$19.95

Picture Collection #3 4 tapes, 30 pictures per tape.

Holiday Collection including Christmas, Chanukah, Thanksgiving, New Year's, Easter, Halloween, etc. Order #GS13 \$19.95





Zebra Systems, Inc. 78-06 Jamaica Ave. Woodhaven, NY 11421 (718) 296-2385

Ordering Instructions: All orders add \$3.00 Shipping and Handling. UPS COD add \$3.00. VISA/MC Accepted. NY residents add sales tax.

Pixel Print PLUS! THE DESKTOP PUBLISHER Lenke Software



the PLUS? What's



Checkout

- 1) WYSIWYC (What You See <u>I</u>s <u>W</u>hat You <u>G</u>et!) Create your text on the screen... as easy as typing! LOAD graphics... Load ICONs... Import TASWORD text via the TASWORD conversion utility.
- 2) AUTOMATIC and MANUAL line and character adjustments.
- RESTORE FORT lafter using the BOLD/NODERN/ITALIC modifiers.
- 4) KEEP/UNDO/SAUE/LOAD/LOAD ICON LOAD SCREEN\$/SAUE SCREEN\$ WIDE/HIGH/CLS/SCROLL SPEED
- 5) OVER/INVERSE/CAPS LOCK UP TO 16 POINT FONTS (font package in development)
- 6) COPY/ERASE/INSERT/DELETE/HEN
- 7) AERCO/TASMAN A&B/A&J CPI
- 8) IBM/EFSON/PROWRITER type printers.

Pixel features Print PLUS! has all the features found in v2.0 it is 100% compatible with the Pixel Print ICON #1 & #2 packages, FONTs #1, #2, \$ #3 as well as the TASWORD Util. and your Pixel Print files!! v2.0, With



Lenke Software 2144 White Oak Wichita Ks.

PIXEL PRINT PLUS!	\$1985
TASWORD TEXT CONV	₫ <u> 95</u>
ICON PACKAGE #1	\$1995
ICON LIBRARY #2	\$1495
FONT PACKAGE #1	\$1985
FONT LIBRARY #2	\$1495
FONT LIBRARY #3	\$1932
1989 PERSONAL CALENDAR	\$1995
MASTHEAD PACKAGE #2	\$1495
16 POINT FONTS	\$1495
MEGA FONTS	\$1495
PIXEL SKETCH V2.0	\$1995
CHECKBOOK AUBSET	\$1935

Pixel Print Professional



RERCO DISK VERSION!

Pixel Print Plus v3.2 * Create up to 20 page documents * Print a complete Doc headers lefts & right

(no more printer adjustments!) * Uses bank-switching to print left and right columns together * Print multiple Copies! * Newsletter Format or * 64 Column Letter Format

TE: printers must be capable of 72 to 90 Dots per inch (576 to 720 dots per line)
Dit image Oraphics!!! NOTE:

- Automated Printer Customizing SSDD diskette (or auto-save tape)
- only \$7995 ppd. (ORDER NOW!)

OLIGER DISK VERSION!

Same as the RERCO version above except for use with the Oliger Disk Interface (SSDD Disk)



Requires a minimum of RAM expansion... (see the 32K RAM Cartridge below!)

* only \$2395 ppd. (DADER NOW!)

LARKEN DISK VERSION!

Same as the REACO version above except for use with the LARKEW Disk Interface (SSDD Disk)



Requires a minimum of 64K RRM DISK memory expansion.

only \$2995 ppd. (DRDER NOW!)

Pixel Print Professional

& MICRODALVE

* Same as Aerco except for use with Tapes...



NOTE: Specify either TRPE or Michobalve...

- Requires a minimum of 32K RAM expansion... (see the 32K RAM Cartridge below!)
- * only \$2995 ppd. (DRDER NOW!)

32K RAM CARTRIDGE

32K Volatile Memory



Fits into the TS-2068 Cartridge Dock 511100 with the purchase of the DTP above.

(\$47.95 if purchased separatly)